



ITTC – Recommended Procedures and Guidelines

7.5-02
-01-03
Page 1 of 47

Guideline
Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

ITTC Quality System Manual Recommended Procedures and Guidelines

Fresh Water and Seawater Properties

**Chen W., Ferrando M., Grigoropoulos G., Hirdaris S., Kitazawa D., Paik K.,
Park J., Sales Sena J., Tezdogan T., Wu C.**

- 7.5 Process Control
- 7.5-02 Testing and Extrapolation Methods
- 7.5-02-01 General
- 7.5-02-01-03 Fresh Water and Seawater Properties

Disclaimer

All the information in ITTC Recommended Procedures and Guidelines is published in good faith. Neither ITTC nor committee members provide any warranties about the completeness, reliability, accuracy or otherwise of this information. Given the technical evolution, the ITTC Recommended Procedures and Guidelines are checked regularly by the relevant committee and updated when necessary. It is therefore important to always use the latest version.

Any action you take upon the information you find in the ITTC Recommended Procedures and Guidelines is strictly at your own responsibility. Neither ITTC nor committee members shall be liable for any losses and/or damages whatsoever in connection with the use of information available in the ITTC Recommended Procedures and Guidelines.

Updated / Edited by	Approved
Quality Systems Group of the 30 th ITTC	30 th ITTC 2024
Date 05/2024	Date 09/2024
© 2024 ITTC.A Switzerland	DOI:

Table of Contents

<p>1. INTRODUCTION 3</p> <p>2. FRESH WATER PROPERTIES 3</p> <p> 2.1 Uncertainty estimates for freshwater properties..... 7</p> <p> 2.1.1 Example uncertainty calculation of freshwater properties..... 7</p> <p>3. SALTWATER PROPERTIES 7</p> <p> 3.1 Properties at standard salinity and varying temperature. 8</p> <p> 3.2 Properties at 15 °C and varying salinity 9</p> <p> 3.3 Uncertainty estimates for saltwater properties..... 14</p> <p> 3.3.1 Example uncertainty calculation of saltwater properties 14</p>	<p>4. SUMMARY 14</p> <p>5. LIST OF SYMBOLS..... 16</p> <p> 5.1 English 16</p> <p> 5.2 Greek 16</p> <p>6. REFERENCES..... 16</p> <p>7. KEYWORDS..... 17</p> <p>APPENDIX A. FRESH WATER PROPERTIES 0.1 TO 50 °C IN 0.1 °C INCREMENTS 18</p> <p>APPENDIX B. STANDARD SALTWATER PROPERTIES 0.1 TO 50 °C IN 0.1 °C INCREMENTS 33</p>
---	---

Abstract

Water properties are provided in tables for fresh water and seawater. The properties include density, viscosity, and vapour pressure. Sensitivity coefficients are included for the calculation of the uncertainty in the property from the uncertainty in the measured temperature. Example results are provided including the uncertainty estimate. For fresh water, the properties are calculated from the International Association for the Properties of Water and Steam (IAPWS). For seawater, the properties are from TEOS-10 published by UNESCO.

Fresh Water and Seawater Properties

1. INTRODUCTION

The international standard for the properties of fresh water and seawater are specified by the International Association for the Properties of Water and Steam (IAPWS). The properties available include density, viscosity, thermal conductivity, index of refraction, vapour pressure, speed of sound, and surface tension. Those of liquid water are described in IAPWS (2011). For this procedure, only the following properties are provided: density, absolute viscosity, kinematic viscosity, and vapour pressure.

In general, the water properties are a function of temperature (t), pressure (p), and absolute salinity (S_A). For fresh water, $S_A = 0.0$. In this procedure, data are provided at standard pressure of 0.101325 MPa and as a function of temperature. The temperature scale is the International Temperature Scale 1990 (ITS-90). At non-standard conditions, water properties should be computed from computer codes described in the following paragraphs.

The values for fresh water were computed via a computer code from NIST (National Institute of Standards and Technology), the National Metrology Institute (NMI) for the United States. Harvey, et al. (2008) is the manual for the computer code. The sensitivity coefficients are also provided so that the uncertainty in the property may be computed from the uncertainty in temperature per the 25th ITTC procedure on uncertainty analysis. The uncertainties in the IAPWS equations are also provided.

IAPWS (2008) is the new international standard for seawater properties. The new standard for seawater has been developed by a group at the United Nations and UNESCO (United Na-

tions Educational, Scientific, and Cultural Organization) and several other international organizations. The latest standard for seawater properties is the International Thermodynamic Equation Of Seawater: 2010 (TEOS-10). IOC, et al. (2010) is the manual for the computer code. The code currently calculates thermodynamic properties such as density and vapour pressure. IAWPS (2010) has certified a research need for transport properties such as viscosity. In the meantime for this procedure, viscosity and vapour pressure recommended by Sharqawy, et al. (2010) is adopted. Another source of seawater properties is the SIA (Sea-Ice-Air) library described by Feistel, et al. (2010) and Wright, et al. (2010).

2. FRESH WATER PROPERTIES


Fresh water properties were computed at the standard pressure of 0.101325 MPa. The results for density, absolute viscosity, kinematic viscosity, vapour pressure, and their sensitivity coefficients are shown in the following graphically in Figure 1 through Figure 4 as $S_A = 0.0$. The properties were produced from the NIST code of Harvey, et al. (2008) from 0.1 to 50 °C in 0.1 °C steps, and the sensitivity coefficients were computed by a central finite-differencing method from ISO (2008) given by:

$$dx/dt \approx (x_{i+1} - x_{i-1})/(2\Delta t) \quad (1)$$


where x is a water property, t is the temperature in °C, and $\Delta t = 0.1$ °C.

Water property numerical values at 1 °C increment from 10 to 40 °C are listed in Table 1. A more detailed list at 0.1 °C increments from 0.1 to 50 °C is located in **Errore. L'origine riferimento non è stata trovata..**


Fresh Water and Seawater Properties

 Effective Date
 2024 Revision
 03


a. Density




a. Absolute viscosity



b. Sensitivity coefficient

Figure 1: Fresh water and standard seawater density




b. Sensitivity coefficient


Figure 2: Fresh water and standard seawater absolute viscosity

Fresh Water and Seawater Properties


 Effective Date
 2024

 Revision
 03



a. Kinematic viscosity



a. Vapour pressure



b. Sensitivity coefficient



b. Sensitivity coefficient

Figure 3: Fresh water and standard seawater kinematic viscosity

Figure 4: Fresh water and standard seawater vapour pressure

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Table 1: Fresh water properties at 1 °C increment

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscosity μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s·°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
10	999.7025	-0.08791	0.001306	-3.760E-05	1.3063E-06	-3.749E-08	1.2282E-03	8.230E-05
11	999.6079	-0.10112	0.001269	-3.591E-05	1.2697E-06	-3.580E-08	1.3130E-03	8.728E-05
12	999.5004	-0.11399	0.001234	-3.433E-05	1.2347E-06	-3.420E-08	1.4028E-03	9.252E-05
13	999.3801	-0.12653	0.001200	-3.284E-05	1.2012E-06	-3.271E-08	1.4981E-03	9.802E-05
14	999.2474	-0.13877	0.001168	-3.144E-05	1.1692E-06	-3.130E-08	1.5990E-03	1.038E-04
15	999.1026	-0.15071	0.001138	-3.012E-05	1.1386E-06	-2.997E-08	1.7058E-03	1.099E-04
16	998.9461	-0.16237	0.001108	-2.887E-05	1.1093E-06	-2.872E-08	1.8188E-03	1.162E-04
17	998.7780	-0.17376	0.001080	-2.769E-05	1.0811E-06	-2.754E-08	1.9384E-03	1.229E-04
18	998.5986	-0.18489	0.001053	-2.658E-05	1.0542E-06	-2.642E-08	2.0647E-03	1.299E-04
19	998.4083	-0.19578	0.001027	-2.553E-05	1.0283E-06	-2.537E-08	2.1983E-03	1.372E-04
20	998.2072	-0.20644	0.001002	-2.453E-05	1.0034E-06	-2.437E-08	2.3393E-03	1.449E-04
21	997.9955	-0.21687	0.000978	-2.359E-05	9.7950E-07	-2.343E-08	2.4882E-03	1.530E-04
22	997.7735	-0.22708	0.000954	-2.270E-05	9.5653E-07	-2.253E-08	2.6453E-03	1.614E-04
23	997.5414	-0.23709	0.000932	-2.185E-05	9.3442E-07	-2.168E-08	2.8111E-03	1.702E-04
24	997.2994	-0.24691	0.000911	-2.104E-05	9.1315E-07	-2.088E-08	2.9858E-03	1.794E-04
25	997.0476	-0.25653	0.000890	-2.028E-05	8.9266E-07	-2.011E-08	3.1699E-03	1.890E-04
26	996.7864	-0.26597	0.000870	-1.955E-05	8.7291E-07	-1.938E-08	3.3639E-03	1.990E-04
27	996.5158	-0.27524	0.000851	-1.886E-05	8.5388E-07	-1.869E-08	3.5681E-03	2.095E-04
28	996.2360	-0.28434	0.000832	-1.820E-05	8.3552E-07	-1.803E-08	3.7831E-03	2.205E-04
29	995.9471	-0.29327	0.000814	-1.757E-05	8.1781E-07	-1.740E-08	4.0092E-03	2.319E-04
30	995.6495	-0.30206	0.000797	-1.697E-05	8.0071E-07	-1.681E-08	4.2470E-03	2.438E-04
31	995.3431	-0.31069	0.000781	-1.640E-05	7.8419E-07	-1.624E-08	4.4969E-03	2.562E-04
32	995.0281	-0.31918	0.000764	-1.586E-05	7.6823E-07	-1.569E-08	4.7596E-03	2.692E-04
33	994.7048	-0.32753	0.000749	-1.534E-05	7.5280E-07	-1.517E-08	5.0354E-03	2.826E-04
34	994.3731	-0.33574	0.000734	-1.484E-05	7.3788E-07	-1.467E-08	5.3251E-03	2.967E-04
35	994.0333	-0.34383	0.000719	-1.436E-05	7.2344E-07	-1.420E-08	5.6290E-03	3.113E-04
36	993.6855	-0.35179	0.000705	-1.391E-05	7.0947E-07	-1.375E-08	5.9479E-03	3.265E-04
37	993.3298	-0.35963	0.000691	-1.347E-05	6.9595E-07	-1.331E-08	6.2823E-03	3.424E-04
38	992.9663	-0.36736	0.000678	-1.305E-05	6.8285E-07	-1.289E-08	6.6328E-03	3.588E-04
39	992.5951	-0.37497	0.000665	-1.265E-05	6.7015E-07	-1.250E-08	7.0002E-03	3.759E-04
40	992.2164	-0.38248	0.000653	-1.227E-05	6.5785E-07	-1.211E-08	7.3849E-03	3.937E-04

2.1 Uncertainty estimates for freshwater properties

The uncertainties in the IAWPS equations are summarized in Table 2 for an expanded uncertainty with a coverage factor of 2. For density and viscosity, the uncertainties are from IAWPS (2011). The uncertainty in vapour pressure is from Harvey, et al. (2008) Figure B-4. The value of $\pm 0.02\%$ is actually the maximum value over the ambient temperature range and is recommended for simplicity.

Table 2: Uncertainty in water properties at 95 % confidence limit [ppm: parts per million (0.0001 %)]

Property	Symbol	U_{95}	Units
Density	ρ	1	ppm
Viscosity	μ	1	%
Vapour Pressure	p_v	0.02	%

The combined uncertainty then includes both the influence of the uncertainty in temperature and the uncertainty in the IAWPS equations. The combined expanded uncertainty is then

$$U_c = \sqrt{U_x^2 + (c_{x,t} U_t)^2} \quad (2)$$

where U_x is the uncertainty in the water property equation from Table 2, U_t the uncertainty in temperature, and $c_{x,t} = \partial x / \partial t$ the sensitivity coefficient from Table 1 or **Errore. L'origine riferimento non è stata trovata..** The uncertainty in temperature should include both Type A and Type B uncertainty estimates from ISO (2008).

2.1.1 Example uncertainty calculation of freshwater properties

From the previous section, the following are specific examples of freshwater properties at 20 °C.

For $U_t = \pm 1.0\text{ }^\circ\text{C}$:

- Density: $998.21 \pm 0.21 \text{ kg/m}^3 (\pm 0.021\%)$
- Absolute viscosity: $0.001002 \pm 0.000024 \text{ Pa}\cdot\text{s} (\pm 2.4\%)$
- Kinematic viscosity: $(1.003 \pm 0.024) \times 10^{-6} \text{ m}^2/\text{s} (\pm 2.4\%)$
- Vapour pressure: $2.34 \pm 0.14 \text{ kPa} (6.2\%)$

In this example, most of the uncertainty is from the uncertainty in temperature.

For $U_t = \pm 0.10\text{ }^\circ\text{C}$:

- Density: $998.207 \pm 0.021 \text{ kg/m}^3 (\pm 0.0021\%)$
- Absolute viscosity: $0.001002 \pm 0.000010 \text{ Pa}\cdot\text{s} (\pm 1.0\%)$
- Kinematic viscosity: $(1.003 \pm 0.010) \times 10^{-6} \text{ m}^2/\text{s} (\pm 1.0\%)$
- Vapour pressure: $2.339 \pm 0.014 \text{ kPa} (0.62\%)$

In this case, most of the uncertainty in density and vapour pressure is from temperature while most of the uncertainty in viscosity is from the viscosity equation ($\pm 1.0\%$).

3. SALTWATER PROPERTIES

In the new international standard for seawater properties, IOC, et al. (2010) absolute salinity is mass based. In the previous standard, salinity was practical salinity, S_p , which is measured as conductivity and has no units. The practical salinity scale is valid over the range, $2 < S_p < 42$. For standard seawater, practical salinity has a value of 35 while absolute salinity has a value of $35.16504 \pm 0.007 \text{ g/kg}$. Reference salinity is defined as

Fresh Water and Seawater Properties

Effective Date 2024	Revision 03
------------------------	----------------

$$S_R = (35.16504/35)S_P \quad (3)$$

Absolute Salinity may then be computed from a conductivity measurement

$$S_A = S_R + \delta S_A \quad (4)$$

where δS_A is the absolute salinity anomaly. In general, the absolute salinity anomaly is a function of latitude, longitude, and pressure. Additional details are described in IOC, et al. (2010).

3.1 Properties at standard salinity and varying temperature.

Saltwater properties were computed at the standard pressure of 0.101325 MPa and standard absolute salinity, $S_A = 35.16504 \pm 0.007$ g/kg. The results for density, absolute viscosity, kinematic viscosity, vapour pressure, and their sensitivity coefficients for temperature are presented in Figure 1 through Figure 4. The density was computed from the TEOS-10 code MatLab Version 2, IOC, et al. (2010) while viscosity and vapour pressure were computed from Sharqawy, et al. (2010) from 0.1 to 50 °C in 0.1 °C steps, and the sensitivity coefficients were computed by the central finite differencing method of Equation (1) with $\Delta t = 0.1$ °C.

From Sharqawy, et al. (2010) the equation for absolute viscosity is

$$\mu_{sw} = \mu_{fw}(1 + AS_A + BS_A) \quad (5)$$

where

$$A = 1.541 + 0.01998t - 9.52 \times 10^{-5}t^2$$

$$B = 7.974 - 0.07561t + 4.724 \times 10^{-5}t^2$$

The equation for vapour pressure is

$$\frac{p_{v,fw}}{p_{v,sw}} = 1 + 0.57357[S_A/(1000 - S_A)] \quad (6)$$

The fresh water properties (fw) are computed from Harvey, et al. (2008) as described in Section 2. When $S_A = 0.0$, the values of vapour pressure and absolute viscosity in Equations (5) and (6) are the same as in Section 2. Seawater property numerical values at 1 °C increment from 1 to 30 °C are listed in



ITTC – Recommended Procedures and Guidelines

7.5-02
-01-03
Page 9 of 47

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Table 3. A more detailed list at 0.1 °C increments from 0.1 to 50 °C is located in Appendix B.

15 °C are presented in Figure 5 through Figure 8 and Table 4. The derivatives of absolute salinity were computed from Equation (1) with $\Delta S_A = 0.1 \text{ g/kg}$ substituted for temperature.

3.2 Properties at 15 °C and varying salinity

As an example and for comparison, results for varying absolute salinity and temperature of


Fresh Water and Seawater Properties

Effective Date
2024 Revision
03


Table 3: Standard seawater properties at 1 °C increment

Temp t (°C)	Density ρ (kg/m ³)	$\partial \rho / \partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial \mu / \partial t$ (Pa·s/°C)	$\nu = \mu / \rho$ (m ² /s)	$\partial \nu / \partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v / \partial t$ (MPa/°C)
1	1028.0941	-0.0680	0.001843	-6.186E-05	1.7926E-06	-6.005E-08	6.4363E-04	4.639E-05
2	1028.0197	-0.0810	0.001783	-5.862E-05	1.7341E-06	-5.689E-08	6.9153E-04	4.944E-05
3	1027.9327	-0.0930	0.001726	-5.561E-05	1.6787E-06	-5.395E-08	7.4256E-04	5.265E-05
4	1027.8336	-0.1050	0.001671	-5.282E-05	1.6262E-06	-5.122E-08	7.9689E-04	5.604E-05
5	1027.7225	-0.1170	0.001620	-5.021E-05	1.5762E-06	-4.867E-08	8.5471E-04	5.962E-05
6	1027.6000	-0.1280	0.001571	-4.777E-05	1.5288E-06	-4.630E-08	9.1620E-04	6.340E-05
7	1027.4662	-0.1390	0.001524	-4.549E-05	1.4836E-06	-4.408E-08	9.8157E-04	6.738E-05
8	1027.3214	-0.1500	0.001480	-4.337E-05	1.4406E-06	-4.200E-08	1.0510E-03	7.156E-05
9	1027.1659	-0.1605	0.001438	-4.137E-05	1.3995E-06	-4.006E-08	1.1248E-03	7.597E-05
10	1027.0000	-0.1710	0.001397	-3.950E-05	1.3604E-06	-3.823E-08	1.2030E-03	8.061E-05
11	1026.8238	-0.1815	0.001359	-3.774E-05	1.3230E-06	-3.652E-08	1.2861E-03	8.550E-05
12	1026.6376	-0.1915	0.001322	-3.609E-05	1.2873E-06	-3.492E-08	1.3741E-03	9.063E-05
13	1026.4416	-0.2010	0.001286	-3.454E-05	1.2532E-06	-3.341E-08	1.4674E-03	9.601E-05
14	1026.2360	-0.2105	0.001252	-3.308E-05	1.2205E-06	-3.198E-08	1.5662E-03	1.017E-04
15	1026.0210	-0.2195	0.001220	-3.170E-05	1.1892E-06	-3.064E-08	1.6709E-03	1.076E-04
16	1025.7967	-0.2290	0.001189	-3.040E-05	1.1592E-06	-2.938E-08	1.7816E-03	1.139E-04
17	1025.5633	-0.2380	0.001159	-2.918E-05	1.1304E-06	-2.819E-08	1.8987E-03	1.204E-04
18	1025.3210	-0.2470	0.001131	-2.801E-05	1.1028E-06	-2.706E-08	2.0225E-03	1.272E-04
19	1025.0700	-0.2555	0.001103	-2.692E-05	1.0763E-06	-2.599E-08	2.1533E-03	1.344E-04
20	1024.8103	-0.2640	0.001077	-2.588E-05	1.0508E-06	-2.498E-08	2.2914E-03	1.419E-04
21	1024.5421	-0.2725	0.001051	-2.489E-05	1.0263E-06	-2.402E-08	2.4373E-03	1.498E-04
22	1024.2656	-0.2805	0.001027	-2.396E-05	1.0027E-06	-2.312E-08	2.5912E-03	1.581E-04
23	1023.9808	-0.2890	0.001004	-2.307E-05	9.8002E-07	-2.226E-08	2.7535E-03	1.667E-04
24	1023.6881	-0.2970	0.000981	-2.223E-05	9.5818E-07	-2.144E-08	2.9247E-03	1.757E-04
25	1023.3873	-0.3050	0.000959	-2.143E-05	9.3713E-07	-2.066E-08	3.1050E-03	1.851E-04
26	1023.0788	-0.3125	0.000938	-2.067E-05	9.1683E-07	-1.993E-08	3.2950E-03	1.949E-04
27	1022.7626	-0.3200	0.000918	-1.995E-05	8.9726E-07	-1.922E-08	3.4950E-03	2.052E-04
28	1022.4389	-0.3275	0.000898	-1.926E-05	8.7837E-07	-1.856E-08	3.7056E-03	2.159E-04
29	1022.1078	-0.3345	0.000879	-1.860E-05	8.6014E-07	-1.792E-08	3.9271E-03	2.271E-04
30	1021.7694	-0.3420	0.000861	-1.798E-05	8.4253E-07	-1.731E-08	4.1600E-03	2.388E-04


 INTERNATIONAL TOWING TANK CONFERENCE	ITTC – Recommended Procedures and Guidelines	7.5-02 -01-03 Page 11 of 47
	Fresh Water and Seawater Properties	Effective Date 2024 Revision 03




a. Density



a. Absolute viscosity




b. Sensitivity coefficient




b. Sensitivity coefficient

Figure 5: Seawater density at 15 °C


Figure 6: Seawater absolute viscosity at 15 °C



a. Kinematic viscosity




a. Vapour pressure



b. Sensitivity coefficient

Figure 7: Seawater kinematic viscosity, 15 °C



b. Sensitivity coefficient

Figure 8: Seawater vapour pressure at 15 °C

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Table 4: Seawater properties at 15 °C and 1 g/kg increment of absolute salinity

S_A (g/kg)	Density ρ (kg/m ³)	$\partial\rho/\partial S_A$ (kg ² /g·m ³)	Viscos μ (Pa·s)	$\partial\mu/\partial S_A$ (kg·Pa·s/g)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial S_A$ (kg·m ² /g·s)	Press p_v (MPa)	$\partial p_v/\partial S_A$ (kg·MPa/g)
10	1006.7950	0.76200	0.001159	2.228E-06	1.1512E-06	1.341E-09	1.6960E-03	-9.868E-07
11	1007.5571	0.76200	0.001161	2.243E-06	1.1526E-06	1.355E-09	1.6950E-03	-9.876E-07
12	1008.3191	0.76200	0.001164	2.259E-06	1.1539E-06	1.369E-09	1.6940E-03	-9.885E-07
13	1009.0812	0.76200	0.001166	2.275E-06	1.1553E-06	1.382E-09	1.6930E-03	-9.893E-07
14	1009.8434	0.76200	0.001168	2.291E-06	1.1567E-06	1.396E-09	1.6920E-03	-9.902E-07
15	1010.6056	0.76250	0.001170	2.307E-06	1.1581E-06	1.409E-09	1.6910E-03	-9.910E-07
16	1011.3680	0.76200	0.001173	2.322E-06	1.1595E-06	1.423E-09	1.6900E-03	-9.919E-07
17	1012.1305	0.76250	0.001175	2.338E-06	1.1610E-06	1.436E-09	1.6890E-03	-9.927E-07
18	1012.8932	0.76300	0.001177	2.354E-06	1.1624E-06	1.448E-09	1.6880E-03	-9.936E-07
19	1013.6561	0.76300	0.001180	2.370E-06	1.1638E-06	1.462E-09	1.6871E-03	-9.944E-07
20	1014.4192	0.76350	0.001182	2.386E-06	1.1653E-06	1.475E-09	1.6861E-03	-9.953E-07
21	1015.1824	0.76350	0.001185	2.401E-06	1.1668E-06	1.488E-09	1.6851E-03	-9.962E-07
22	1015.9459	0.76350	0.001187	2.417E-06	1.1683E-06	1.501E-09	1.6841E-03	-9.970E-07
23	1016.7097	0.76400	0.001189	2.433E-06	1.1698E-06	1.514E-09	1.6831E-03	-9.979E-07
24	1017.4736	0.76450	0.001192	2.449E-06	1.1713E-06	1.527E-09	1.6821E-03	-9.987E-07
25	1018.2379	0.76450	0.001194	2.465E-06	1.1729E-06	1.540E-09	1.6811E-03	-9.996E-07
26	1019.0023	0.76450	0.001197	2.480E-06	1.1744E-06	1.553E-09	1.6801E-03	-1.000E-06
27	1019.7670	0.76450	0.001199	2.496E-06	1.1760E-06	1.566E-09	1.6791E-03	-1.001E-06
28	1020.5320	0.76500	0.001202	2.512E-06	1.1775E-06	1.579E-09	1.6781E-03	-1.002E-06
29	1021.2973	0.76550	0.001204	2.528E-06	1.1791E-06	1.591E-09	1.6771E-03	-1.003E-06
30	1022.0628	0.76600	0.001207	2.544E-06	1.1807E-06	1.604E-09	1.6761E-03	-1.004E-06
31	1022.8286	0.76600	0.001209	2.559E-06	1.1823E-06	1.617E-09	1.6751E-03	-1.005E-06
32	1023.5946	0.76600	0.001212	2.575E-06	1.1839E-06	1.630E-09	1.6741E-03	-1.006E-06
33	1024.3609	0.76650	0.001214	2.591E-06	1.1856E-06	1.642E-09	1.6730E-03	-1.007E-06
34	1025.1275	0.76650	0.001217	2.607E-06	1.1872E-06	1.655E-09	1.6720E-03	-1.007E-06
35	1025.8944	0.76700	0.001220	2.623E-06	1.1889E-06	1.668E-09	1.6710E-03	-1.008E-06
36	1026.6615	0.76750	0.001222	2.638E-06	1.1906E-06	1.680E-09	1.6700E-03	-1.009E-06
37	1027.4289	0.76750	0.001225	2.654E-06	1.1923E-06	1.693E-09	1.6690E-03	-1.010E-06
38	1028.1966	0.76800	0.001228	2.670E-06	1.1940E-06	1.705E-09	1.6680E-03	-1.011E-06
39	1028.9646	0.76800	0.001230	2.686E-06	1.1957E-06	1.718E-09	1.6670E-03	-1.012E-06
40	1029.7328	0.76850	0.001233	2.702E-06	1.1974E-06	1.730E-09	1.6660E-03	-1.013E-06

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

3.3 Uncertainty estimates for saltwater properties

The uncertainties in the seawater properties are summarized in Table 5 for an expanded uncertainty with a coverage factor of 2. The uncertainty in density is from IAPWS (2008) while the uncertainty in vapour pressure and viscosity is from Sharqawy, et al. (2010).

Table 5: Uncertainty in seawater properties at 95 % confidence limit. ppm: parts per million (0.0001 %)

Property	Symbol	U_{95}	Units
Density	ρ	8	ppm
Viscosity	μ	1.5	%
Vapour Pressure	p_v	0.1	%

The combined uncertainty in this case includes the uncertainty in the equations, absolute salinity and temperature. Equation (2) then becomes

$$U_c = \sqrt{U_x^2 + (c_{x,t} U_t)^2 + (c_{x,S} U_S)^2} \quad (7)$$

where $c_{x,S} = \partial x / \partial S_A$ is the sensitivity coefficient for salinity. Its value may be obtained from Table 4 at 15 °C; otherwise, the sensitivity coefficients must be computed for a specific absolute salinity and temperature by the methods outlined in this procedure.

3.3.1 Example uncertainty calculation of saltwater properties

For evaluation of full-scale ship performance, standard seawater properties are applied at 15 °C. From the previous section, the following are specific examples of standard seawater properties at 15 °C. From IOC, et al. (2010) the estimated uncertainty in standard absolute salinity is ±0.007 g/kg.

For $U_t = \pm 1.0$ °C:

- Density: 1026.02 ± 0.22 kg/m³ ($\pm 0.021\%$)
- Absolute viscosity: 0.001220 ± 0.000037 Pa·s ($\pm 3.0\%$)
- Kinematic viscosity: $(1.189 \pm 0.036) \times 10^{-6}$ m²/s ($\pm 3.0\%$)
- Vapour pressure: 1.67 ± 0.11 kPa (6.4 %)

In this example, most of the uncertainty is from the uncertainty in temperature.

For $U_t = \pm 0.10$ °C:

- Density: 1026.021 ± 0.024 kg/m³ ($\pm 0.0023\%$)
- Absolute viscosity: 0.001220 ± 0.000019 Pa·s ($\pm 1.5\%$)
- Kinematic viscosity: $(1.189 \pm 0.018) \times 10^{-6}$ m²/s ($\pm 1.5\%$)
- Vapour pressure: 1.671 ± 0.011 kPa (0.65 %)

In this case, most of the uncertainty in density and vapour pressure is from temperature while most of the uncertainty in viscosity is from the viscosity equation ($\pm 1.5\%$). The uncertainty estimates are similar to those of fresh water but slightly higher.

4. SUMMARY

This procedure outlines some properties of fresh water and seawater from the latest international standards. Examples in this procedure include density, absolute viscosity, kinematic viscosity, and vapour pressure. Other properties are available. The latest fresh water properties are defined by IAWPS (2011) at standard pressure. The results presented in this procedure are from Harvey, et al. (2008). For conditions other than standard pressure, the properties should be computed from Harvey, et al. (2008). Property

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

data and their sensitivity coefficients are presented for the temperature range of 0.1 to 50 °C and standard pressure.

The latest seawater properties are from IOC, et al. (2010) and IAPWS (2008). Transport properties are not yet available, and this procedure should be updated when they become available. In the meantime, the transport properties from Sharqawy, et al. (2010) are recommended.

Specific results are presented for standard seawater and standard pressure for the temperature range of 0.1 to 50 °C and for seawater at standard pressure and 15 °C over the absolute salinity range of 10 to 40 g/kg. For other conditions, the recommended computer codes should be applied on the basis of this procedure. For example, the seawater properties in the prediction of submarine performance should be determined from conditions at operating depth such as temperature, pressure, and salinity.

Fresh water property data were provided at the standard laboratory temperature of 20 °C and standard pressure. Example uncertainty estimates are provided for an uncertainty in temperature of ± 1.0 and ± 0.10 °C. Similarly, seawater properties were provided for the standard at sea temperature of 15 °C, standard absolute salinity, and standard pressure. Uncertainty estimates in the properties were also provided for an uncertainty in temperature at ± 1.0 and ± 0.10 °C. The uncertainty estimates were similar to those for fresh water but slightly higher. For both fresh water and saltwater, the dominant term in the uncertainty estimate is temperature at an uncertainty in temperature of ± 1.0 °C while at ± 0.10 °C uncertainty the uncertainty in the equation is dominant for viscosity.

For fresh water, application of Harvey, et al. (2008) is recommended rather than IOC, et al. (2010) at $S_A = 0.0$. At 25 °C, the values from Harvey, et al. (2008) are in agreement with the

check values in Table 8 of IAWPS (2011) for density and viscosity. However, a slight discrepancy exists for standard seawater and fresh water in Table 8 at 0 °C of IAWPS (2008) in comparison with the MatLab code version 2 from IOC, et al. (2010). The value of fresh water density differs by 52 ppm, and seawater by 47 ppm, when the stated uncertainty in the equations is 8 ppm. The fresh water check value at 0 °C from IAPWS (2008) does agree with the value from Harvey, et al. (2008). However, the discrepancy is still small in comparison to the uncertainty contribution from temperature. In general, future international developments in seawater properties for TEOS-10 and IAWPS should be monitored and adopted.

Finally, seawater properties are provided in the following figures, Figure 9 through Figure 12, as functions of both absolute salinity and temperature in increments of 1 °C in temperature and 1 g/kg for absolute salinity as three-dimensional plots. These results are at one standard atmosphere, 0.101325 MPa.




Figure 9: Seawater density




Figure 10: Seawater absolute viscosity




Figure 11: Seawater kinematic viscosity




Figure 12: Seawater vapour pressure

5. LIST OF SYMBOLS

5.1 English

k	Coverage factor, usually $k = 2$	
p	Pressure	MPa
p_v	Vapour pressure	MPa
S_A	Absolute salinity	g/kg
S_P	Practical salinity	1
S_R	Reference salinity	g/kg
t	Water temperature	°C
u_c	Combined standard uncertainty	
U	Expanded uncertainty, $U = ku_c$	

5.2 Greek

μ	Absolute viscosity	kg/(m·s) or Pa·s
ν	Kinematic viscosity, $\nu = \mu/\rho$	m²/s
ρ	Water density	kg/m³

6. REFERENCES

Feistel, R., Wright, D. G., Jackett, D. R. Miyagawa, K., Reissmann, J. H., Wagner, W., Overhoff, U., Guder, C., Feistel, A., and Marion, G. M., 2010, "Numerical implementation and oceanographic application of the thermodynamic potentials of liquid water, water vapour, ice, seawater and humid air – Part 1: Background and equations," Ocean Science, Vol. 6, pp. 633-677.

Harvey, A. H., Peskin, A. P., and Klein, S. A., 2008, "NIST/ASME Steam Properties Version 2.22: Users' Guide," National Institute for Standards and Technology, Gaithersburg, Maryland, USA.

IAPWS, 2008, "Release on the IAPWS Formulation 2008 for the Thermodynamic Properties of Seawater," IAPWS R13-089, The International Association for the Properties of Water and Steam, Berlin.

Fresh Water and Seawater Properties

Effective Date 2024	Revision 03
------------------------	----------------

IAPWS, 2010, “IAPWS Certified Research Need – ICRN,” The International Association for the Properties of Water and Steam, Berlin.

IAPWS, 2011, “Revised Supplementary Release on Properties of Liquid Water at 0.1 MPa,” IAPWS SR6-08 (2011), The International Association for the Properties of Water and Steam, Berlin.

IOC, SCOR, and IAPSO, 2010, “The international thermodynamic equations of seawater – 2010: Calculation and use of thermodynamic properties,” Intergovernmental Oceanographic Commission, Manuals and Guides No. 56, UNESCO, 196 pp.

ISO, 2008, “Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM: 1995), International Organization for Standardization, Geneva, Switzerland.

Sharqawy, Mostafa H., Lienhard V., John H., and Zubair, Syed M., 2010, “Thermophysical properties of seawater: a review of existing correlations and data,” Desalination and Water Treatment, Vol. 16, pp. 354-380.

Wright, D. G., Feistel, R., Miyagawa, K., Reissmann, J. H., Jackett, D. R., Wagner, W., Overhoff, U., Guder, C., Feistel, A., and Marion, G. M., 2010, “Numerical implementation and oceanographic application of the thermodynamic potentials of liquid water, water vapour, ice, seawater and humid air – Part 2: The library routines,” Ocean Science, Vol. 6, pp. 695-718.

7. KEYWORDS

Water properties, seawater properties, fresh water properties, density, viscosity, vapour pressure, uncertainty analysis, sensitivity coefficient, IAPWS, TEOS 10

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Appendix A. FRESH WATER PROPERTIES 0.1 TO 50 °C IN 0.1 °C INCREMENTS

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscosity μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
0.1	999.8498	0.06593	0.001786		1.7858E-06		6.1567E-04	
0.2	999.8563	0.06412	0.001779	-6.174E-05	1.7796E-06	-6.186E-08	6.2015E-04	4.499E-05
0.3	999.8626	0.06232	0.001773	-6.140E-05	1.7734E-06	-6.152E-08	6.2467E-04	4.528E-05
0.4	999.8687	0.06052	0.001767	-6.106E-05	1.7673E-06	-6.118E-08	6.2921E-04	4.557E-05
0.5	999.8747	0.05873	0.001761	-6.072E-05	1.7612E-06	-6.084E-08	6.3378E-04	4.587E-05
0.6	999.8805	0.05694	0.001755	-6.039E-05	1.7551E-06	-6.050E-08	6.3838E-04	4.616E-05
0.7	999.8861	0.05516	0.001749	-6.006E-05	1.7491E-06	-6.016E-08	6.4301E-04	4.646E-05
0.8	999.8915	0.05339	0.001743	-5.973E-05	1.7431E-06	-5.983E-08	6.4767E-04	4.676E-05
0.9	999.8968	0.05162	0.001737	-5.940E-05	1.7371E-06	-5.950E-08	6.5236E-04	4.706E-05
1.0	999.9018	0.04986	0.001731	-5.908E-05	1.7312E-06	-5.917E-08	6.5709E-04	4.736E-05
1.1	999.9067	0.04810	0.001725	-5.876E-05	1.7253E-06	-5.885E-08	6.6184E-04	4.766E-05
1.2	999.9115	0.04635	0.001719	-5.844E-05	1.7194E-06	-5.852E-08	6.6662E-04	4.797E-05
1.3	999.9160	0.04461	0.001713	-5.812E-05	1.7136E-06	-5.820E-08	6.7143E-04	4.828E-05
1.4	999.9204	0.04287	0.001708	-5.781E-05	1.7078E-06	-5.789E-08	6.7627E-04	4.858E-05
1.5	999.9246	0.04114	0.001702	-5.750E-05	1.7020E-06	-5.757E-08	6.8115E-04	4.889E-05
1.6	999.9286	0.03942	0.001696	-5.719E-05	1.6963E-06	-5.726E-08	6.8605E-04	4.921E-05
1.7	999.9325	0.03770	0.001690	-5.688E-05	1.6906E-06	-5.695E-08	6.9099E-04	4.952E-05
1.8	999.9362	0.03598	0.001685	-5.657E-05	1.6849E-06	-5.664E-08	6.9596E-04	4.983E-05
1.9	999.9397	0.03427	0.001679	-5.627E-05	1.6792E-06	-5.633E-08	7.0095E-04	5.015E-05
2.0	999.9430	0.03257	0.001674	-5.597E-05	1.6736E-06	-5.603E-08	7.0599E-04	5.047E-05
2.1	999.9462	0.03087	0.001668	-5.567E-05	1.6680E-06	-5.573E-08	7.1105E-04	5.079E-05
2.2	999.9492	0.02918	0.001662	-5.538E-05	1.6625E-06	-5.543E-08	7.1614E-04	5.111E-05
2.3	999.9520	0.02749	0.001657	-5.508E-05	1.6569E-06	-5.513E-08	7.2127E-04	5.144E-05
2.4	999.9547	0.02581	0.001651	-5.479E-05	1.6514E-06	-5.483E-08	7.2643E-04	5.176E-05
2.5	999.9572	0.02414	0.001646	-5.450E-05	1.6460E-06	-5.454E-08	7.3162E-04	5.209E-05
2.6	999.9595	0.02247	0.001640	-5.421E-05	1.6405E-06	-5.425E-08	7.3685E-04	5.242E-05
2.7	999.9617	0.02080	0.001635	-5.392E-05	1.6351E-06	-5.396E-08	7.4211E-04	5.275E-05
2.8	999.9637	0.01915	0.001630	-5.364E-05	1.6297E-06	-5.367E-08	7.4740E-04	5.308E-05
2.9	999.9655	0.01749	0.001624	-5.336E-05	1.6244E-06	-5.339E-08	7.5272E-04	5.342E-05
3.0	999.9672	0.01584	0.001619	-5.308E-05	1.6191E-06	-5.311E-08	7.5808E-04	5.375E-05
3.1	999.9687	0.01420	0.001614	-5.280E-05	1.6138E-06	-5.283E-08	7.6347E-04	5.409E-05
3.2	999.9700	0.01256	0.001608	-5.253E-05	1.6085E-06	-5.255E-08	7.6890E-04	5.443E-05
3.3	999.9712	0.01093	0.001603	-5.225E-05	1.6033E-06	-5.227E-08	7.7436E-04	5.477E-05

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m ³)	(kg/m ³ ·°C)	(Pa·s)	(Pa·s/°C)	(m ² /s)	(m ² /s·°C)	(MPa)	(MPa/°C)
3.4	999.9722	0.00931	0.001598	-5.198E-05	1.5980E-06	-5.200E-08	7.7985E-04	5.511E-05
3.5	999.9730	0.00768	0.001593	-5.171E-05	1.5929E-06	-5.172E-08	7.8538E-04	5.546E-05
3.6	999.9737	0.00607	0.001588	-5.144E-05	1.5877E-06	-5.145E-08	7.9094E-04	5.581E-05
3.7	999.9743	0.00446	0.001583	-5.118E-05	1.5826E-06	-5.118E-08	7.9654E-04	5.616E-05
3.8	999.9746	0.00285	0.001577	-5.091E-05	1.5775E-06	-5.092E-08	8.0218E-04	5.651E-05
3.9	999.9748	0.00125	0.001572	-5.065E-05	1.5724E-06	-5.065E-08	8.0784E-04	5.686E-05
4.0	999.9749	-0.00035	0.001567	-5.039E-05	1.5673E-06	-5.039E-08	8.1355E-04	5.722E-05
4.1	999.9748	-0.00194	0.001562	-5.013E-05	1.5623E-06	-5.013E-08	8.1929E-04	5.757E-05
4.2	999.9745	-0.00353	0.001557	-4.987E-05	1.5573E-06	-4.987E-08	8.2506E-04	5.793E-05
4.3	999.9741	-0.00511	0.001552	-4.962E-05	1.5523E-06	-4.961E-08	8.3087E-04	5.829E-05
4.4	999.9735	-0.00668	0.001547	-4.936E-05	1.5474E-06	-4.935E-08	8.3672E-04	5.865E-05
4.5	999.9727	-0.00826	0.001542	-4.911E-05	1.5425E-06	-4.910E-08	8.4260E-04	5.902E-05
4.6	999.9718	-0.00982	0.001538	-4.886E-05	1.5376E-06	-4.885E-08	8.4853E-04	5.939E-05
4.7	999.9708	-0.01138	0.001533	-4.861E-05	1.5327E-06	-4.860E-08	8.5448E-04	5.975E-05
4.8	999.9695	-0.01294	0.001528	-4.837E-05	1.5278E-06	-4.835E-08	8.6048E-04	6.012E-05
4.9	999.9682	-0.01449	0.001523	-4.812E-05	1.5230E-06	-4.810E-08	8.6651E-04	6.050E-05
5.0	999.9666	-0.01604	0.001518	-4.788E-05	1.5182E-06	-4.786E-08	8.7258E-04	6.087E-05
5.1	999.9650	-0.01758	0.001513	-4.764E-05	1.5135E-06	-4.761E-08	8.7868E-04	6.125E-05
5.2	999.9631	-0.01912	0.001509	-4.740E-05	1.5087E-06	-4.737E-08	8.8482E-04	6.163E-05
5.3	999.9611	-0.02066	0.001504	-4.716E-05	1.5040E-06	-4.713E-08	8.9101E-04	6.201E-05
5.4	999.9590	-0.02218	0.001499	-4.692E-05	1.4993E-06	-4.689E-08	8.9723E-04	6.239E-05
5.5	999.9567	-0.02371	0.001495	-4.669E-05	1.4946E-06	-4.666E-08	9.0348E-04	6.277E-05
5.6	999.9542	-0.02523	0.001490	-4.646E-05	1.4899E-06	-4.642E-08	9.0978E-04	6.316E-05
5.7	999.9517	-0.02674	0.001485	-4.622E-05	1.4853E-06	-4.619E-08	9.1612E-04	6.355E-05
5.8	999.9489	-0.02825	0.001481	-4.599E-05	1.4807E-06	-4.596E-08	9.2249E-04	6.394E-05
5.9	999.9460	-0.02976	0.001476	-4.577E-05	1.4761E-06	-4.572E-08	9.2890E-04	6.433E-05
6.0	999.9429	-0.03126	0.001471	-4.554E-05	1.4716E-06	-4.550E-08	9.3536E-04	6.472E-05
6.1	999.9397	-0.03276	0.001467	-4.531E-05	1.4670E-06	-4.527E-08	9.4185E-04	6.512E-05
6.2	999.9364	-0.03425	0.001462	-4.509E-05	1.4625E-06	-4.504E-08	9.4838E-04	6.552E-05
6.3	999.9329	-0.03574	0.001458	-4.487E-05	1.4580E-06	-4.482E-08	9.5495E-04	6.592E-05
6.4	999.9292	-0.03722	0.001453	-4.465E-05	1.4535E-06	-4.460E-08	9.6156E-04	6.632E-05
6.5	999.9255	-0.03870	0.001449	-4.443E-05	1.4491E-06	-4.437E-08	9.6822E-04	6.673E-05
6.6	999.9215	-0.04018	0.001445	-4.421E-05	1.4447E-06	-4.416E-08	9.7491E-04	6.713E-05
6.7	999.9174	-0.04165	0.001440	-4.399E-05	1.4403E-06	-4.394E-08	9.8164E-04	6.754E-05
6.8	999.9132	-0.04311	0.001436	-4.378E-05	1.4359E-06	-4.372E-08	9.8842E-04	6.796E-05

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m ³)	(kg/m ³ ·°C)	(Pa·s)	(Pa·s/°C)	(m ² /s)	(m ² /s·°C)	(MPa)	(MPa/°C)
6.9	999.9088	-0.04458	0.001431	-4.357E-05	1.4315E-06	-4.351E-08	9.9523E-04	6.837E-05
7.0	999.9043	-0.04603	0.001427	-4.335E-05	1.4272E-06	-4.329E-08	1.0021E-03	6.878E-05
7.1	999.8996	-0.04749	0.001423	-4.314E-05	1.4229E-06	-4.308E-08	1.0090E-03	6.920E-05
7.2	999.8948	-0.04894	0.001418	-4.293E-05	1.4186E-06	-4.287E-08	1.0159E-03	6.962E-05
7.3	999.8898	-0.05038	0.001414	-4.273E-05	1.4143E-06	-4.266E-08	1.0229E-03	7.004E-05
7.4	999.8847	-0.05182	0.001410	-4.252E-05	1.4100E-06	-4.245E-08	1.0299E-03	7.047E-05
7.5	999.8794	-0.05326	0.001406	-4.231E-05	1.4058E-06	-4.224E-08	1.0370E-03	7.090E-05
7.6	999.8740	-0.05469	0.001401	-4.211E-05	1.4016E-06	-4.204E-08	1.0441E-03	7.132E-05
7.7	999.8685	-0.05612	0.001397	-4.191E-05	1.3974E-06	-4.183E-08	1.0513E-03	7.175E-05
7.8	999.8628	-0.05755	0.001393	-4.171E-05	1.3932E-06	-4.163E-08	1.0585E-03	7.219E-05
7.9	999.8570	-0.05897	0.001389	-4.151E-05	1.3891E-06	-4.143E-08	1.0657E-03	7.262E-05
8.0	999.8510	-0.06039	0.001385	-4.131E-05	1.3849E-06	-4.123E-08	1.0730E-03	7.306E-05
8.1	999.8449	-0.06180	0.001381	-4.111E-05	1.3808E-06	-4.103E-08	1.0803E-03	7.350E-05
8.2	999.8387	-0.06321	0.001377	-4.092E-05	1.3767E-06	-4.083E-08	1.0877E-03	7.394E-05
8.3	999.8323	-0.06461	0.001372	-4.072E-05	1.3727E-06	-4.064E-08	1.0951E-03	7.439E-05
8.4	999.8257	-0.06601	0.001368	-4.053E-05	1.3686E-06	-4.044E-08	1.1026E-03	7.483E-05
8.5	999.8191	-0.06741	0.001364	-4.033E-05	1.3646E-06	-4.025E-08	1.1101E-03	7.528E-05
8.6	999.8123	-0.06880	0.001360	-4.014E-05	1.3605E-06	-4.006E-08	1.1176E-03	7.574E-05
8.7	999.8053	-0.07019	0.001356	-3.995E-05	1.3566E-06	-3.987E-08	1.1252E-03	7.619E-05
8.8	999.7982	-0.07158	0.001352	-3.977E-05	1.3526E-06	-3.968E-08	1.1329E-03	7.664E-05
8.9	999.7910	-0.07296	0.001348	-3.958E-05	1.3486E-06	-3.949E-08	1.1406E-03	7.710E-05
9.0	999.7836	-0.07434	0.001344	-3.939E-05	1.3447E-06	-3.930E-08	1.1483E-03	7.756E-05
9.1	999.7761	-0.07571	0.001340	-3.921E-05	1.3408E-06	-3.911E-08	1.1561E-03	7.803E-05
9.2	999.7685	-0.07708	0.001337	-3.902E-05	1.3369E-06	-3.893E-08	1.1639E-03	7.849E-05
9.3	999.7607	-0.07845	0.001333	-3.884E-05	1.3330E-06	-3.875E-08	1.1718E-03	7.896E-05
9.4	999.7528	-0.07981	0.001329	-3.866E-05	1.3291E-06	-3.856E-08	1.1797E-03	7.943E-05
9.5	999.7447	-0.08117	0.001325	-3.848E-05	1.3253E-06	-3.838E-08	1.1877E-03	7.990E-05
9.6	999.7366	-0.08252	0.001321	-3.830E-05	1.3214E-06	-3.820E-08	1.1957E-03	8.038E-05
9.7	999.7282	-0.08387	0.001317	-3.812E-05	1.3176E-06	-3.802E-08	1.2037E-03	8.085E-05
9.8	999.7198	-0.08522	0.001313	-3.795E-05	1.3138E-06	-3.785E-08	1.2118E-03	8.133E-05
9.9	999.7112	-0.08657	0.001310	-3.777E-05	1.3100E-06	-3.767E-08	1.2200E-03	8.182E-05
10.0	999.7025	-0.08791	0.001306	-3.760E-05	1.3063E-06	-3.749E-08	1.2282E-03	8.230E-05
10.1	999.6936	-0.08924	0.001302	-3.742E-05	1.3025E-06	-3.732E-08	1.2365E-03	8.279E-05
10.2	999.6846	-0.09058	0.001298	-3.725E-05	1.2988E-06	-3.715E-08	1.2448E-03	8.328E-05
10.3	999.6755	-0.09191	0.001295	-3.708E-05	1.2951E-06	-3.697E-08	1.2531E-03	8.377E-05

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
10.4	999.6662	-0.09323	0.001291	-3.691E-05	1.2914E-06	-3.680E-08	1.2615E-03	8.426E-05
10.5	999.6569	-0.09456	0.001287	-3.674E-05	1.2878E-06	-3.663E-08	1.2700E-03	8.476E-05
10.6	999.6473	-0.09588	0.001284	-3.657E-05	1.2841E-06	-3.646E-08	1.2785E-03	8.526E-05
10.7	999.6377	-0.09719	0.001280	-3.641E-05	1.2805E-06	-3.629E-08	1.2870E-03	8.576E-05
10.8	999.6279	-0.09850	0.001276	-3.624E-05	1.2768E-06	-3.613E-08	1.2956E-03	8.627E-05
10.9	999.6180	-0.09981	0.001273	-3.608E-05	1.2732E-06	-3.596E-08	1.3043E-03	8.677E-05
11.0	999.6079	-0.10112	0.001269	-3.591E-05	1.2697E-06	-3.580E-08	1.3130E-03	8.728E-05
11.1	999.5978	-0.10242	0.001266	-3.575E-05	1.2661E-06	-3.563E-08	1.3217E-03	8.779E-05
11.2	999.5874	-0.10372	0.001262	-3.559E-05	1.2625E-06	-3.547E-08	1.3305E-03	8.831E-05
11.3	999.5770	-0.10502	0.001258	-3.543E-05	1.2590E-06	-3.531E-08	1.3394E-03	8.883E-05
11.4	999.5664	-0.10631	0.001255	-3.527E-05	1.2555E-06	-3.515E-08	1.3483E-03	8.935E-05
11.5	999.5558	-0.10760	0.001251	-3.511E-05	1.2520E-06	-3.499E-08	1.3573E-03	8.987E-05
11.6	999.5449	-0.10888	0.001248	-3.495E-05	1.2485E-06	-3.483E-08	1.3663E-03	9.039E-05
11.7	999.5340	-0.11016	0.001244	-3.479E-05	1.2450E-06	-3.467E-08	1.3753E-03	9.092E-05
11.8	999.5229	-0.11144	0.001241	-3.464E-05	1.2415E-06	-3.452E-08	1.3845E-03	9.145E-05
11.9	999.5117	-0.11272	0.001237	-3.448E-05	1.2381E-06	-3.436E-08	1.3936E-03	9.198E-05
12.0	999.5004	-0.11399	0.001234	-3.433E-05	1.2347E-06	-3.420E-08	1.4028E-03	9.252E-05
12.1	999.4889	-0.11526	0.001231	-3.417E-05	1.2312E-06	-3.405E-08	1.4121E-03	9.306E-05
12.2	999.4773	-0.11652	0.001227	-3.402E-05	1.2279E-06	-3.390E-08	1.4215E-03	9.360E-05
12.3	999.4656	-0.11779	0.001224	-3.387E-05	1.2245E-06	-3.375E-08	1.4308E-03	9.414E-05
12.4	999.4537	-0.11904	0.001220	-3.372E-05	1.2211E-06	-3.359E-08	1.4403E-03	9.469E-05
12.5	999.4418	-0.12030	0.001217	-3.357E-05	1.2177E-06	-3.344E-08	1.4498E-03	9.524E-05
12.6	999.4297	-0.12155	0.001214	-3.342E-05	1.2144E-06	-3.329E-08	1.4593E-03	9.579E-05
12.7	999.4175	-0.12280	0.001210	-3.328E-05	1.2111E-06	-3.315E-08	1.4689E-03	9.634E-05
12.8	999.4051	-0.12405	0.001207	-3.313E-05	1.2078E-06	-3.300E-08	1.4786E-03	9.690E-05
12.9	999.3927	-0.12529	0.001204	-3.298E-05	1.2045E-06	-3.285E-08	1.4883E-03	9.746E-05
13.0	999.3801	-0.12653	0.001200	-3.284E-05	1.2012E-06	-3.271E-08	1.4981E-03	9.802E-05
13.1	999.3673	-0.12777	0.001197	-3.269E-05	1.1979E-06	-3.256E-08	1.5079E-03	9.859E-05
13.2	999.3545	-0.12900	0.001194	-3.255E-05	1.1947E-06	-3.242E-08	1.5178E-03	9.916E-05
13.3	999.3415	-0.13024	0.001191	-3.241E-05	1.1915E-06	-3.228E-08	1.5278E-03	9.973E-05
13.4	999.3285	-0.13146	0.001187	-3.227E-05	1.1882E-06	-3.213E-08	1.5378E-03	1.003E-04
13.5	999.3153	-0.13269	0.001184	-3.213E-05	1.1850E-06	-3.199E-08	1.5478E-03	1.009E-04
13.6	999.3019	-0.13391	0.001181	-3.199E-05	1.1818E-06	-3.185E-08	1.5579E-03	1.015E-04
13.7	999.2885	-0.13513	0.001178	-3.185E-05	1.1787E-06	-3.171E-08	1.5681E-03	1.020E-04
13.8	999.2749	-0.13634	0.001175	-3.171E-05	1.1755E-06	-3.157E-08	1.5783E-03	1.026E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
13.9	999.2612	-0.13756	0.001171	-3.157E-05	1.1724E-06	-3.144E-08	1.5886E-03	1.032E-04
14.0	999.2474	-0.13877	0.001168	-3.144E-05	1.1692E-06	-3.130E-08	1.5990E-03	1.038E-04
14.1	999.2335	-0.13997	0.001165	-3.130E-05	1.1661E-06	-3.116E-08	1.6094E-03	1.044E-04
14.2	999.2194	-0.14118	0.001162	-3.117E-05	1.1630E-06	-3.103E-08	1.6199E-03	1.050E-04
14.3	999.2052	-0.14238	0.001159	-3.103E-05	1.1599E-06	-3.089E-08	1.6304E-03	1.056E-04
14.4	999.1909	-0.14358	0.001156	-3.090E-05	1.1568E-06	-3.076E-08	1.6410E-03	1.062E-04
14.5	999.1765	-0.14477	0.001153	-3.077E-05	1.1537E-06	-3.062E-08	1.6516E-03	1.068E-04
14.6	999.1620	-0.14597	0.001150	-3.064E-05	1.1507E-06	-3.049E-08	1.6623E-03	1.074E-04
14.7	999.1473	-0.14716	0.001147	-3.050E-05	1.1476E-06	-3.036E-08	1.6731E-03	1.080E-04
14.8	999.1325	-0.14834	0.001144	-3.037E-05	1.1446E-06	-3.023E-08	1.6839E-03	1.086E-04
14.9	999.1176	-0.14953	0.001141	-3.024E-05	1.1416E-06	-3.010E-08	1.6948E-03	1.092E-04
15.0	999.1026	-0.15071	0.001138	-3.012E-05	1.1386E-06	-2.997E-08	1.7058E-03	1.099E-04
15.1	999.0875	-0.15189	0.001135	-2.999E-05	1.1356E-06	-2.984E-08	1.7168E-03	1.105E-04
15.2	999.0722	-0.15306	0.001132	-2.986E-05	1.1326E-06	-2.971E-08	1.7279E-03	1.111E-04
15.3	999.0569	-0.15423	0.001129	-2.973E-05	1.1297E-06	-2.959E-08	1.7390E-03	1.117E-04
15.4	999.0414	-0.15540	0.001126	-2.961E-05	1.1267E-06	-2.946E-08	1.7502E-03	1.124E-04
15.5	999.0258	-0.15657	0.001123	-2.948E-05	1.1238E-06	-2.934E-08	1.7615E-03	1.130E-04
15.6	999.0101	-0.15774	0.001120	-2.936E-05	1.1208E-06	-2.921E-08	1.7728E-03	1.136E-04
15.7	998.9943	-0.15890	0.001117	-2.924E-05	1.1179E-06	-2.909E-08	1.7842E-03	1.143E-04
15.8	998.9783	-0.16006	0.001114	-2.911E-05	1.1150E-06	-2.896E-08	1.7957E-03	1.149E-04
15.9	998.9622	-0.16121	0.001111	-2.899E-05	1.1121E-06	-2.884E-08	1.8072E-03	1.156E-04
16.0	998.9461	-0.16237	0.001108	-2.887E-05	1.1093E-06	-2.872E-08	1.8188E-03	1.162E-04
16.1	998.9298	-0.16352	0.001105	-2.875E-05	1.1064E-06	-2.860E-08	1.8305E-03	1.169E-04
16.2	998.9134	-0.16467	0.001102	-2.863E-05	1.1035E-06	-2.848E-08	1.8422E-03	1.175E-04
16.3	998.8968	-0.16581	0.001099	-2.851E-05	1.1007E-06	-2.836E-08	1.8540E-03	1.182E-04
16.4	998.8802	-0.16695	0.001097	-2.839E-05	1.0979E-06	-2.824E-08	1.8658E-03	1.189E-04
16.5	998.8634	-0.16809	0.001094	-2.827E-05	1.0950E-06	-2.812E-08	1.8778E-03	1.195E-04
16.6	998.8466	-0.16923	0.001091	-2.815E-05	1.0922E-06	-2.800E-08	1.8897E-03	1.202E-04
16.7	998.8296	-0.17037	0.001088	-2.804E-05	1.0894E-06	-2.789E-08	1.9018E-03	1.209E-04
16.8	998.8125	-0.17150	0.001085	-2.792E-05	1.0867E-06	-2.777E-08	1.9139E-03	1.215E-04
16.9	998.7953	-0.17263	0.001083	-2.781E-05	1.0839E-06	-2.765E-08	1.9261E-03	1.222E-04
17.0	998.7780	-0.17376	0.001080	-2.769E-05	1.0811E-06	-2.754E-08	1.9384E-03	1.229E-04
17.1	998.7606	-0.17488	0.001077	-2.758E-05	1.0784E-06	-2.742E-08	1.9507E-03	1.236E-04
17.2	998.7430	-0.17600	0.001074	-2.747E-05	1.0756E-06	-2.731E-08	1.9631E-03	1.243E-04
17.3	998.7254	-0.17712	0.001072	-2.735E-05	1.0729E-06	-2.720E-08	1.9755E-03	1.250E-04

Fresh Water and Seawater Properties

 Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
17.4	998.7076	-0.17824	0.001069	-2.724E-05	1.0702E-06	-2.708E-08	1.9881E-03	1.257E-04
17.5	998.6897	-0.17936	0.001066	-2.713E-05	1.0675E-06	-2.697E-08	2.0007E-03	1.264E-04
17.6	998.6717	-0.18047	0.001063	-2.702E-05	1.0648E-06	-2.686E-08	2.0133E-03	1.271E-04
17.7	998.6536	-0.18158	0.001061	-2.691E-05	1.0621E-06	-2.675E-08	2.0261E-03	1.278E-04
17.8	998.6354	-0.18268	0.001058	-2.680E-05	1.0595E-06	-2.664E-08	2.0389E-03	1.285E-04
17.9	998.6171	-0.18379	0.001055	-2.669E-05	1.0568E-06	-2.653E-08	2.0518E-03	1.292E-04
18.0	998.5986	-0.18489	0.001053	-2.658E-05	1.0542E-06	-2.642E-08	2.0647E-03	1.299E-04
18.1	998.5801	-0.18599	0.001050	-2.647E-05	1.0515E-06	-2.631E-08	2.0778E-03	1.306E-04
18.2	998.5614	-0.18709	0.001047	-2.637E-05	1.0489E-06	-2.621E-08	2.0909E-03	1.313E-04
18.3	998.5427	-0.18818	0.001045	-2.626E-05	1.0463E-06	-2.610E-08	2.1040E-03	1.321E-04
18.4	998.5238	-0.18928	0.001042	-2.615E-05	1.0437E-06	-2.599E-08	2.1173E-03	1.328E-04
18.5	998.5048	-0.19037	0.001040	-2.605E-05	1.0411E-06	-2.589E-08	2.1306E-03	1.335E-04
18.6	998.4857	-0.19145	0.001037	-2.594E-05	1.0385E-06	-2.578E-08	2.1440E-03	1.343E-04
18.7	998.4665	-0.19254	0.001034	-2.584E-05	1.0359E-06	-2.568E-08	2.1574E-03	1.350E-04
18.8	998.4472	-0.19362	0.001032	-2.574E-05	1.0334E-06	-2.558E-08	2.1710E-03	1.357E-04
18.9	998.4278	-0.19470	0.001029	-2.563E-05	1.0308E-06	-2.547E-08	2.1846E-03	1.365E-04
19.0	998.4083	-0.19578	0.001027	-2.553E-05	1.0283E-06	-2.537E-08	2.1983E-03	1.372E-04
19.1	998.3887	-0.19686	0.001024	-2.543E-05	1.0257E-06	-2.527E-08	2.2120E-03	1.380E-04
19.2	998.3689	-0.19793	0.001022	-2.533E-05	1.0232E-06	-2.517E-08	2.2259E-03	1.387E-04
19.3	998.3491	-0.19900	0.001019	-2.523E-05	1.0207E-06	-2.506E-08	2.2398E-03	1.395E-04
19.4	998.3291	-0.20007	0.001016	-2.513E-05	1.0182E-06	-2.496E-08	2.2538E-03	1.403E-04
19.5	998.3091	-0.20114	0.001014	-2.503E-05	1.0157E-06	-2.486E-08	2.2678E-03	1.410E-04
19.6	998.2889	-0.20220	0.001011	-2.493E-05	1.0132E-06	-2.476E-08	2.2820E-03	1.418E-04
19.7	998.2686	-0.20326	0.001009	-2.483E-05	1.0108E-06	-2.466E-08	2.2962E-03	1.426E-04
19.8	998.2482	-0.20432	0.001007	-2.473E-05	1.0083E-06	-2.457E-08	2.3105E-03	1.433E-04
19.9	998.2277	-0.20538	0.001004	-2.463E-05	1.0058E-06	-2.447E-08	2.3249E-03	1.441E-04
20.0	998.2072	-0.20644	0.001002	-2.453E-05	1.0034E-06	-2.437E-08	2.3393E-03	1.449E-04
20.1	998.1865	-0.20749	0.000999	-2.444E-05	1.0010E-06	-2.427E-08	2.3538E-03	1.457E-04
20.2	998.1657	-0.20854	0.000997	-2.434E-05	9.9854E-07	-2.418E-08	2.3685E-03	1.465E-04
20.3	998.1448	-0.20959	0.000994	-2.425E-05	9.9613E-07	-2.408E-08	2.3831E-03	1.473E-04
20.4	998.1237	-0.21063	0.000992	-2.415E-05	9.9372E-07	-2.399E-08	2.3979E-03	1.481E-04
20.5	998.1026	-0.21168	0.000989	-2.406E-05	9.9133E-07	-2.389E-08	2.4128E-03	1.489E-04
20.6	998.0814	-0.21272	0.000987	-2.396E-05	9.8895E-07	-2.380E-08	2.4277E-03	1.497E-04
20.7	998.0601	-0.21376	0.000985	-2.387E-05	9.8657E-07	-2.370E-08	2.4427E-03	1.505E-04
20.8	998.0387	-0.21480	0.000982	-2.378E-05	9.8420E-07	-2.361E-08	2.4578E-03	1.513E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m ³)	(kg/m ³ ·°C)	(Pa·s)	(Pa·s/°C)	(m ² /s)	(m ² /s·°C)	(MPa)	(MPa/°C)
20.9	998.0171	-0.21583	0.000980	-2.368E-05	9.8185E-07	-2.352E-08	2.4730E-03	1.521E-04
21.0	997.9955	-0.21687	0.000978	-2.359E-05	9.7950E-07	-2.343E-08	2.4882E-03	1.530E-04
21.1	997.9737	-0.21790	0.000975	-2.350E-05	9.7716E-07	-2.333E-08	2.5036E-03	1.538E-04
21.2	997.9519	-0.21893	0.000973	-2.341E-05	9.7483E-07	-2.324E-08	2.5190E-03	1.546E-04
21.3	997.9300	-0.21995	0.000971	-2.332E-05	9.7251E-07	-2.315E-08	2.5345E-03	1.554E-04
21.4	997.9079	-0.22098	0.000968	-2.323E-05	9.7020E-07	-2.306E-08	2.5501E-03	1.563E-04
21.5	997.8858	-0.22200	0.000966	-2.314E-05	9.6790E-07	-2.297E-08	2.5657E-03	1.571E-04
21.6	997.8635	-0.22302	0.000964	-2.305E-05	9.6561E-07	-2.288E-08	2.5815E-03	1.580E-04
21.7	997.8412	-0.22404	0.000961	-2.296E-05	9.6332E-07	-2.279E-08	2.5973E-03	1.588E-04
21.8	997.8187	-0.22506	0.000959	-2.287E-05	9.6105E-07	-2.271E-08	2.6132E-03	1.596E-04
21.9	997.7962	-0.22607	0.000957	-2.279E-05	9.5878E-07	-2.262E-08	2.6293E-03	1.605E-04
22.0	997.7735	-0.22708	0.000954	-2.270E-05	9.5653E-07	-2.253E-08	2.6453E-03	1.614E-04
22.1	997.7507	-0.22809	0.000952	-2.261E-05	9.5428E-07	-2.244E-08	2.6615E-03	1.622E-04
22.2	997.7279	-0.22910	0.000950	-2.252E-05	9.5204E-07	-2.236E-08	2.6778E-03	1.631E-04
22.3	997.7049	-0.23011	0.000948	-2.244E-05	9.4981E-07	-2.227E-08	2.6941E-03	1.640E-04
22.4	997.6819	-0.23111	0.000945	-2.235E-05	9.4758E-07	-2.219E-08	2.7106E-03	1.648E-04
22.5	997.6587	-0.23211	0.000943	-2.227E-05	9.4537E-07	-2.210E-08	2.7271E-03	1.657E-04
22.6	997.6354	-0.23311	0.000941	-2.218E-05	9.4316E-07	-2.202E-08	2.7437E-03	1.666E-04
22.7	997.6121	-0.23411	0.000939	-2.210E-05	9.4097E-07	-2.193E-08	2.7604E-03	1.675E-04
22.8	997.5886	-0.23511	0.000937	-2.202E-05	9.3878E-07	-2.185E-08	2.7772E-03	1.684E-04
22.9	997.5650	-0.23610	0.000934	-2.193E-05	9.3660E-07	-2.176E-08	2.7941E-03	1.693E-04
23.0	997.5414	-0.23709	0.000932	-2.185E-05	9.3442E-07	-2.168E-08	2.8111E-03	1.702E-04
23.1	997.5176	-0.23808	0.000930	-2.177E-05	9.3226E-07	-2.160E-08	2.8281E-03	1.711E-04
23.2	997.4938	-0.23907	0.000928	-2.169E-05	9.3010E-07	-2.152E-08	2.8453E-03	1.720E-04
23.3	997.4698	-0.24006	0.000926	-2.160E-05	9.2796E-07	-2.144E-08	2.8625E-03	1.729E-04
23.4	997.4458	-0.24104	0.000923	-2.152E-05	9.2582E-07	-2.135E-08	2.8799E-03	1.738E-04
23.5	997.4216	-0.24202	0.000921	-2.144E-05	9.2368E-07	-2.127E-08	2.8973E-03	1.747E-04
23.6	997.3974	-0.24300	0.000919	-2.136E-05	9.2156E-07	-2.119E-08	2.9148E-03	1.756E-04
23.7	997.3730	-0.24398	0.000917	-2.128E-05	9.1945E-07	-2.111E-08	2.9324E-03	1.766E-04
23.8	997.3486	-0.24496	0.000915	-2.120E-05	9.1734E-07	-2.103E-08	2.9501E-03	1.775E-04
23.9	997.3240	-0.24593	0.000913	-2.112E-05	9.1524E-07	-2.095E-08	2.9679E-03	1.784E-04
24.0	997.2994	-0.24691	0.000911	-2.104E-05	9.1315E-07	-2.088E-08	2.9858E-03	1.794E-04
24.1	997.2746	-0.24788	0.000909	-2.097E-05	9.1106E-07	-2.080E-08	3.0038E-03	1.803E-04
24.2	997.2498	-0.24885	0.000906	-2.089E-05	9.0899E-07	-2.072E-08	3.0219E-03	1.812E-04
24.3	997.2249	-0.24981	0.000904	-2.081E-05	9.0692E-07	-2.064E-08	3.0400E-03	1.822E-04

Fresh Water and Seawater Properties

 Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
24.4	997.1998	-0.25078	0.000902	-2.073E-05	9.0486E-07	-2.056E-08	3.0583E-03	1.832E-04
24.5	997.1747	-0.25174	0.000900	-2.066E-05	9.0281E-07	-2.049E-08	3.0767E-03	1.841E-04
24.6	997.1495	-0.25270	0.000898	-2.058E-05	9.0076E-07	-2.041E-08	3.0951E-03	1.851E-04
24.7	997.1242	-0.25366	0.000896	-2.051E-05	8.9872E-07	-2.034E-08	3.1137E-03	1.860E-04
24.8	997.0988	-0.25462	0.000894	-2.043E-05	8.9669E-07	-2.026E-08	3.1323E-03	1.870E-04
24.9	997.0732	-0.25558	0.000892	-2.035E-05	8.9467E-07	-2.018E-08	3.1511E-03	1.880E-04
25.0	997.0476	-0.25653	0.000890	-2.028E-05	8.9266E-07	-2.011E-08	3.1699E-03	1.890E-04
25.1	997.0219	-0.25748	0.000888	-2.021E-05	8.9065E-07	-2.004E-08	3.1889E-03	1.900E-04
25.2	996.9961	-0.25843	0.000886	-2.013E-05	8.8865E-07	-1.996E-08	3.2079E-03	1.909E-04
25.3	996.9703	-0.25938	0.000884	-2.006E-05	8.8666E-07	-1.989E-08	3.2271E-03	1.919E-04
25.4	996.9443	-0.26033	0.000882	-1.998E-05	8.8467E-07	-1.981E-08	3.2463E-03	1.929E-04
25.5	996.9182	-0.26127	0.000880	-1.991E-05	8.8270E-07	-1.974E-08	3.2657E-03	1.939E-04
25.6	996.8920	-0.26222	0.000878	-1.984E-05	8.8072E-07	-1.967E-08	3.2851E-03	1.949E-04
25.7	996.8657	-0.26316	0.000876	-1.977E-05	8.7876E-07	-1.960E-08	3.3046E-03	1.960E-04
25.8	996.8394	-0.26410	0.000874	-1.970E-05	8.7681E-07	-1.953E-08	3.3243E-03	1.970E-04
25.9	996.8129	-0.26503	0.000872	-1.962E-05	8.7486E-07	-1.945E-08	3.3440E-03	1.980E-04
26.0	996.7864	-0.26597	0.000870	-1.955E-05	8.7291E-07	-1.938E-08	3.3639E-03	1.990E-04
26.1	996.7597	-0.26691	0.000868	-1.948E-05	8.7098E-07	-1.931E-08	3.3838E-03	2.000E-04
26.2	996.7330	-0.26784	0.000866	-1.941E-05	8.6905E-07	-1.924E-08	3.4039E-03	2.011E-04
26.3	996.7062	-0.26877	0.000864	-1.934E-05	8.6713E-07	-1.917E-08	3.4241E-03	2.021E-04
26.4	996.6792	-0.26970	0.000862	-1.927E-05	8.6522E-07	-1.910E-08	3.4443E-03	2.032E-04
26.5	996.6522	-0.27063	0.000860	-1.920E-05	8.6331E-07	-1.903E-08	3.4647E-03	2.042E-04
26.6	996.6251	-0.27155	0.000859	-1.913E-05	8.6141E-07	-1.896E-08	3.4852E-03	2.053E-04
26.7	996.5979	-0.27248	0.000857	-1.906E-05	8.5952E-07	-1.889E-08	3.5057E-03	2.063E-04
26.8	996.5706	-0.27340	0.000855	-1.900E-05	8.5763E-07	-1.883E-08	3.5264E-03	2.074E-04
26.9	996.5432	-0.27432	0.000853	-1.893E-05	8.5575E-07	-1.876E-08	3.5472E-03	2.084E-04
27.0	996.5158	-0.27524	0.000851	-1.886E-05	8.5388E-07	-1.869E-08	3.5681E-03	2.095E-04
27.1	996.4882	-0.27616	0.000849	-1.879E-05	8.5202E-07	-1.862E-08	3.5891E-03	2.106E-04
27.2	996.4605	-0.27707	0.000847	-1.873E-05	8.5016E-07	-1.856E-08	3.6102E-03	2.117E-04
27.3	996.4328	-0.27799	0.000845	-1.866E-05	8.4830E-07	-1.849E-08	3.6314E-03	2.127E-04
27.4	996.4049	-0.27890	0.000843	-1.859E-05	8.4646E-07	-1.842E-08	3.6528E-03	2.138E-04
27.5	996.3770	-0.27981	0.000842	-1.853E-05	8.4462E-07	-1.836E-08	3.6742E-03	2.149E-04
27.6	996.3490	-0.28072	0.000840	-1.846E-05	8.4279E-07	-1.829E-08	3.6958E-03	2.160E-04
27.7	996.3209	-0.28162	0.000838	-1.840E-05	8.4096E-07	-1.823E-08	3.7174E-03	2.171E-04
27.8	996.2926	-0.28253	0.000836	-1.833E-05	8.3914E-07	-1.816E-08	3.7392E-03	2.182E-04

Fresh Water and Seawater Properties

 Effective Date
2024

 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
27.9	996.2643	-0.28343	0.000834	-1.827E-05	8.3733E-07	-1.810E-08	3.7611E-03	2.193E-04
28.0	996.2360	-0.28434	0.000832	-1.820E-05	8.3552E-07	-1.803E-08	3.7831E-03	2.205E-04
28.1	996.2075	-0.28524	0.000831	-1.814E-05	8.3372E-07	-1.797E-08	3.8052E-03	2.216E-04
28.2	996.1789	-0.28614	0.000829	-1.807E-05	8.3193E-07	-1.790E-08	3.8274E-03	2.227E-04
28.3	996.1503	-0.28704	0.000827	-1.801E-05	8.3014E-07	-1.784E-08	3.8497E-03	2.238E-04
28.4	996.1215	-0.28793	0.000825	-1.795E-05	8.2836E-07	-1.778E-08	3.8721E-03	2.250E-04
28.5	996.0927	-0.28883	0.000823	-1.788E-05	8.2659E-07	-1.771E-08	3.8947E-03	2.261E-04
28.6	996.0637	-0.28972	0.000822	-1.782E-05	8.2482E-07	-1.765E-08	3.9174E-03	2.273E-04
28.7	996.0347	-0.29061	0.000820	-1.776E-05	8.2306E-07	-1.759E-08	3.9401E-03	2.284E-04
28.8	996.0056	-0.29150	0.000818	-1.770E-05	8.2130E-07	-1.753E-08	3.9630E-03	2.296E-04
28.9	995.9764	-0.29239	0.000816	-1.763E-05	8.1955E-07	-1.747E-08	3.9860E-03	2.307E-04
29.0	995.9471	-0.29327	0.000814	-1.757E-05	8.1781E-07	-1.740E-08	4.0092E-03	2.319E-04
29.1	995.9178	-0.29416	0.000813	-1.751E-05	8.1607E-07	-1.734E-08	4.0324E-03	2.330E-04
29.2	995.8883	-0.29504	0.000811	-1.745E-05	8.1434E-07	-1.728E-08	4.0558E-03	2.342E-04
29.3	995.8588	-0.29593	0.000809	-1.739E-05	8.1261E-07	-1.722E-08	4.0793E-03	2.354E-04
29.4	995.8291	-0.29681	0.000808	-1.733E-05	8.1089E-07	-1.716E-08	4.1029E-03	2.366E-04
29.5	995.7994	-0.29768	0.000806	-1.727E-05	8.0918E-07	-1.710E-08	4.1266E-03	2.378E-04
29.6	995.7696	-0.29856	0.000804	-1.721E-05	8.0747E-07	-1.704E-08	4.1504E-03	2.390E-04
29.7	995.7397	-0.29944	0.000802	-1.715E-05	8.0577E-07	-1.698E-08	4.1744E-03	2.402E-04
29.8	995.7097	-0.30031	0.000801	-1.709E-05	8.0408E-07	-1.692E-08	4.1985E-03	2.414E-04
29.9	995.6796	-0.30119	0.000799	-1.703E-05	8.0239E-07	-1.686E-08	4.2227E-03	2.426E-04
30.0	995.6495	-0.30206	0.000797	-1.697E-05	8.0071E-07	-1.681E-08	4.2470E-03	2.438E-04
30.1	995.6192	-0.30293	0.000796	-1.692E-05	7.9903E-07	-1.675E-08	4.2714E-03	2.450E-04
30.2	995.5889	-0.30380	0.000794	-1.686E-05	7.9736E-07	-1.669E-08	4.2960E-03	2.462E-04
30.3	995.5585	-0.30466	0.000792	-1.680E-05	7.9569E-07	-1.663E-08	4.3207E-03	2.475E-04
30.4	995.5279	-0.30553	0.000790	-1.674E-05	7.9403E-07	-1.657E-08	4.3455E-03	2.487E-04
30.5	995.4973	-0.30639	0.000789	-1.669E-05	7.9237E-07	-1.652E-08	4.3704E-03	2.499E-04
30.6	995.4667	-0.30725	0.000787	-1.663E-05	7.9073E-07	-1.646E-08	4.3955E-03	2.512E-04
30.7	995.4359	-0.30812	0.000785	-1.657E-05	7.8908E-07	-1.640E-08	4.4206E-03	2.524E-04
30.8	995.4050	-0.30897	0.000784	-1.651E-05	7.8745E-07	-1.635E-08	4.4459E-03	2.537E-04
30.9	995.3741	-0.30983	0.000782	-1.646E-05	7.8581E-07	-1.629E-08	4.4714E-03	2.549E-04
31.0	995.3431	-0.31069	0.000781	-1.640E-05	7.8419E-07	-1.624E-08	4.4969E-03	2.562E-04
31.1	995.3120	-0.31154	0.000779	-1.635E-05	7.8257E-07	-1.618E-08	4.5226E-03	2.575E-04
31.2	995.2808	-0.31240	0.000777	-1.629E-05	7.8095E-07	-1.612E-08	4.5484E-03	2.588E-04
31.3	995.2495	-0.31325	0.000776	-1.624E-05	7.7934E-07	-1.607E-08	4.5744E-03	2.600E-04

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
31.4	995.2181	-0.31410	0.000774	-1.618E-05	7.7774E-07	-1.601E-08	4.6004E-03	2.613E-04
31.5	995.1867	-0.31495	0.000772	-1.613E-05	7.7614E-07	-1.596E-08	4.6266E-03	2.626E-04
31.6	995.1551	-0.31580	0.000771	-1.607E-05	7.7455E-07	-1.591E-08	4.6530E-03	2.639E-04
31.7	995.1235	-0.31665	0.000769	-1.602E-05	7.7296E-07	-1.585E-08	4.6794E-03	2.652E-04
31.8	995.0918	-0.31749	0.000768	-1.596E-05	7.7138E-07	-1.580E-08	4.7060E-03	2.665E-04
31.9	995.0600	-0.31834	0.000766	-1.591E-05	7.6980E-07	-1.574E-08	4.7327E-03	2.678E-04
32.0	995.0281	-0.31918	0.000764	-1.586E-05	7.6823E-07	-1.569E-08	4.7596E-03	2.692E-04
32.1	994.9962	-0.32002	0.000763	-1.580E-05	7.6666E-07	-1.564E-08	4.7866E-03	2.705E-04
32.2	994.9641	-0.32086	0.000761	-1.575E-05	7.6510E-07	-1.559E-08	4.8137E-03	2.718E-04
32.3	994.9320	-0.32170	0.000760	-1.570E-05	7.6354E-07	-1.553E-08	4.8409E-03	2.732E-04
32.4	994.8998	-0.32253	0.000758	-1.565E-05	7.6199E-07	-1.548E-08	4.8683E-03	2.745E-04
32.5	994.8675	-0.32337	0.000757	-1.560E-05	7.6045E-07	-1.543E-08	4.8958E-03	2.758E-04
32.6	994.8351	-0.32420	0.000755	-1.554E-05	7.5891E-07	-1.538E-08	4.9235E-03	2.772E-04
32.7	994.8026	-0.32504	0.000753	-1.549E-05	7.5737E-07	-1.532E-08	4.9513E-03	2.785E-04
32.8	994.7701	-0.32587	0.000752	-1.544E-05	7.5584E-07	-1.527E-08	4.9792E-03	2.799E-04
32.9	994.7375	-0.32670	0.000750	-1.539E-05	7.5432E-07	-1.522E-08	5.0072E-03	2.813E-04
33.0	994.7048	-0.32753	0.000749	-1.534E-05	7.5280E-07	-1.517E-08	5.0354E-03	2.826E-04
33.1	994.6720	-0.32836	0.000747	-1.529E-05	7.5128E-07	-1.512E-08	5.0638E-03	2.840E-04
33.2	994.6391	-0.32918	0.000746	-1.524E-05	7.4977E-07	-1.507E-08	5.0922E-03	2.854E-04
33.3	994.6061	-0.33001	0.000744	-1.519E-05	7.4827E-07	-1.502E-08	5.1208E-03	2.868E-04
33.4	994.5731	-0.33083	0.000743	-1.514E-05	7.4677E-07	-1.497E-08	5.1496E-03	2.882E-04
33.5	994.5400	-0.33165	0.000741	-1.509E-05	7.4528E-07	-1.492E-08	5.1785E-03	2.896E-04
33.6	994.5068	-0.33247	0.000740	-1.504E-05	7.4379E-07	-1.487E-08	5.2075E-03	2.910E-04
33.7	994.4735	-0.33329	0.000738	-1.499E-05	7.4230E-07	-1.482E-08	5.2367E-03	2.924E-04
33.8	994.4401	-0.33411	0.000737	-1.494E-05	7.4082E-07	-1.477E-08	5.2660E-03	2.938E-04
33.9	994.4067	-0.33493	0.000735	-1.489E-05	7.3935E-07	-1.472E-08	5.2955E-03	2.953E-04
34.0	994.3731	-0.33574	0.000734	-1.484E-05	7.3788E-07	-1.467E-08	5.3251E-03	2.967E-04
34.1	994.3395	-0.33656	0.000732	-1.479E-05	7.3641E-07	-1.463E-08	5.3548E-03	2.981E-04
34.2	994.3058	-0.33737	0.000731	-1.474E-05	7.3495E-07	-1.458E-08	5.3847E-03	2.996E-04
34.3	994.2720	-0.33818	0.000729	-1.469E-05	7.3350E-07	-1.453E-08	5.4147E-03	3.010E-04
34.4	994.2382	-0.33899	0.000728	-1.465E-05	7.3205E-07	-1.448E-08	5.4449E-03	3.025E-04
34.5	994.2042	-0.33980	0.000726	-1.460E-05	7.3060E-07	-1.443E-08	5.4752E-03	3.039E-04
34.6	994.1702	-0.34061	0.000725	-1.455E-05	7.2916E-07	-1.439E-08	5.5057E-03	3.054E-04
34.7	994.1361	-0.34142	0.000723	-1.450E-05	7.2772E-07	-1.434E-08	5.5363E-03	3.069E-04
34.8	994.1019	-0.34222	0.000722	-1.446E-05	7.2629E-07	-1.429E-08	5.5671E-03	3.083E-04

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m ³)	(kg/m ³ ·°C)	(Pa·s)	(Pa·s/°C)	(m ² /s)	(m ² /s·°C)	(MPa)	(MPa/°C)
34.9	994.0677	-0.34303	0.000721	-1.441E-05	7.2486E-07	-1.425E-08	5.5980E-03	3.098E-04
35.0	994.0333	-0.34383	0.000719	-1.436E-05	7.2344E-07	-1.420E-08	5.6290E-03	3.113E-04
35.1	993.9989	-0.34463	0.000718	-1.432E-05	7.2202E-07	-1.415E-08	5.6602E-03	3.128E-04
35.2	993.9644	-0.34543	0.000716	-1.427E-05	7.2061E-07	-1.411E-08	5.6916E-03	3.143E-04
35.3	993.9298	-0.34623	0.000715	-1.422E-05	7.1920E-07	-1.406E-08	5.7231E-03	3.158E-04
35.4	993.8951	-0.34703	0.000713	-1.418E-05	7.1780E-07	-1.401E-08	5.7547E-03	3.173E-04
35.5	993.8604	-0.34783	0.000712	-1.413E-05	7.1640E-07	-1.397E-08	5.7866E-03	3.189E-04
35.6	993.8256	-0.34862	0.000711	-1.409E-05	7.1501E-07	-1.392E-08	5.8185E-03	3.204E-04
35.7	993.7907	-0.34942	0.000709	-1.404E-05	7.1362E-07	-1.388E-08	5.8506E-03	3.219E-04
35.8	993.7557	-0.35021	0.000708	-1.400E-05	7.1223E-07	-1.383E-08	5.8829E-03	3.234E-04
35.9	993.7206	-0.35100	0.000706	-1.395E-05	7.1085E-07	-1.379E-08	5.9153E-03	3.250E-04
36.0	993.6855	-0.35179	0.000705	-1.391E-05	7.0947E-07	-1.375E-08	5.9479E-03	3.265E-04
36.1	993.6503	-0.35258	0.000704	-1.386E-05	7.0810E-07	-1.370E-08	5.9806E-03	3.281E-04
36.2	993.6150	-0.35337	0.000702	-1.382E-05	7.0673E-07	-1.366E-08	6.0135E-03	3.297E-04
36.3	993.5796	-0.35416	0.000701	-1.377E-05	7.0537E-07	-1.361E-08	6.0466E-03	3.312E-04
36.4	993.5442	-0.35494	0.000699	-1.373E-05	7.0401E-07	-1.357E-08	6.0798E-03	3.328E-04
36.5	993.5086	-0.35573	0.000698	-1.369E-05	7.0265E-07	-1.353E-08	6.1131E-03	3.344E-04
36.6	993.4730	-0.35651	0.000697	-1.364E-05	7.0130E-07	-1.348E-08	6.1466E-03	3.360E-04
36.7	993.4373	-0.35729	0.000695	-1.360E-05	6.9996E-07	-1.344E-08	6.1803E-03	3.376E-04
36.8	993.4015	-0.35808	0.000694	-1.356E-05	6.9862E-07	-1.340E-08	6.2141E-03	3.392E-04
36.9	993.3657	-0.35886	0.000693	-1.351E-05	6.9728E-07	-1.335E-08	6.2481E-03	3.408E-04
37.0	993.3298	-0.35963	0.000691	-1.347E-05	6.9595E-07	-1.331E-08	6.2823E-03	3.424E-04
37.1	993.2938	-0.36041	0.000690	-1.343E-05	6.9462E-07	-1.327E-08	6.3166E-03	3.440E-04
37.2	993.2577	-0.36119	0.000689	-1.339E-05	6.9329E-07	-1.323E-08	6.3511E-03	3.456E-04
37.3	993.2215	-0.36196	0.000687	-1.334E-05	6.9197E-07	-1.318E-08	6.3857E-03	3.472E-04
37.4	993.1853	-0.36274	0.000686	-1.330E-05	6.9066E-07	-1.314E-08	6.4205E-03	3.489E-04
37.5	993.1490	-0.36351	0.000685	-1.326E-05	6.8934E-07	-1.310E-08	6.4555E-03	3.505E-04
37.6	993.1126	-0.36428	0.000683	-1.322E-05	6.8804E-07	-1.306E-08	6.4906E-03	3.522E-04
37.7	993.0761	-0.36505	0.000682	-1.318E-05	6.8673E-07	-1.302E-08	6.5259E-03	3.538E-04
37.8	993.0396	-0.36582	0.000681	-1.314E-05	6.8543E-07	-1.298E-08	6.5614E-03	3.555E-04
37.9	993.0030	-0.36659	0.000679	-1.309E-05	6.8414E-07	-1.293E-08	6.5970E-03	3.572E-04
38.0	992.9663	-0.36736	0.000678	-1.305E-05	6.8285E-07	-1.289E-08	6.6328E-03	3.588E-04
38.1	992.9295	-0.36813	0.000677	-1.301E-05	6.8156E-07	-1.285E-08	6.6688E-03	3.605E-04
38.2	992.8926	-0.36889	0.000675	-1.297E-05	6.8027E-07	-1.281E-08	6.7049E-03	3.622E-04
38.3	992.8557	-0.36966	0.000674	-1.293E-05	6.7900E-07	-1.277E-08	6.7412E-03	3.639E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m ³)	(kg/m ³ ·°C)	(Pa·s)	(Pa·s/°C)	(m ² /s)	(m ² /s·°C)	(MPa)	(MPa/°C)
38.4	992.8187	-0.37042	0.000673	-1.289E-05	6.7772E-07	-1.273E-08	6.7777E-03	3.656E-04
38.5	992.7816	-0.37118	0.000672	-1.285E-05	6.7645E-07	-1.269E-08	6.8144E-03	3.673E-04
38.6	992.7445	-0.37194	0.000670	-1.281E-05	6.7518E-07	-1.265E-08	6.8512E-03	3.690E-04
38.7	992.7072	-0.37270	0.000669	-1.277E-05	6.7392E-07	-1.261E-08	6.8882E-03	3.707E-04
38.8	992.6699	-0.37346	0.000668	-1.273E-05	6.7266E-07	-1.257E-08	6.9253E-03	3.725E-04
38.9	992.6326	-0.37422	0.000666	-1.269E-05	6.7140E-07	-1.253E-08	6.9627E-03	3.742E-04
39.0	992.5951	-0.37497	0.000665	-1.265E-05	6.7015E-07	-1.250E-08	7.0002E-03	3.759E-04
39.1	992.5576	-0.37573	0.000664	-1.262E-05	6.6890E-07	-1.246E-08	7.0378E-03	3.777E-04
39.2	992.5199	-0.37648	0.000663	-1.258E-05	6.6766E-07	-1.242E-08	7.0757E-03	3.794E-04
39.3	992.4823	-0.37724	0.000661	-1.254E-05	6.6642E-07	-1.238E-08	7.1137E-03	3.812E-04
39.4	992.4445	-0.37799	0.000660	-1.250E-05	6.6518E-07	-1.234E-08	7.1519E-03	3.830E-04
39.5	992.4067	-0.37874	0.000659	-1.246E-05	6.6395E-07	-1.230E-08	7.1903E-03	3.847E-04
39.6	992.3688	-0.37949	0.000658	-1.242E-05	6.6272E-07	-1.226E-08	7.2289E-03	3.865E-04
39.7	992.3308	-0.38024	0.000656	-1.238E-05	6.6150E-07	-1.223E-08	7.2676E-03	3.883E-04
39.8	992.2927	-0.38099	0.000655	-1.235E-05	6.6028E-07	-1.219E-08	7.3066E-03	3.901E-04
39.9	992.2546	-0.38173	0.000654	-1.231E-05	6.5906E-07	-1.215E-08	7.3457E-03	3.919E-04
40.0	992.2164	-0.38248	0.000653	-1.227E-05	6.5785E-07	-1.211E-08	7.3849E-03	3.937E-04
40.1	992.1781	-0.38322	0.000652	-1.223E-05	6.5664E-07	-1.208E-08	7.4244E-03	3.955E-04
40.2	992.1397	-0.38397	0.000650	-1.220E-05	6.5543E-07	-1.204E-08	7.4640E-03	3.974E-04
40.3	992.1013	-0.38471	0.000649	-1.216E-05	6.5423E-07	-1.200E-08	7.5039E-03	3.992E-04
40.4	992.0628	-0.38545	0.000648	-1.212E-05	6.5303E-07	-1.196E-08	7.5439E-03	4.010E-04
40.5	992.0242	-0.38619	0.000647	-1.208E-05	6.5184E-07	-1.193E-08	7.5841E-03	4.029E-04
40.6	991.9855	-0.38693	0.000645	-1.205E-05	6.5065E-07	-1.189E-08	7.6245E-03	4.047E-04
40.7	991.9468	-0.38767	0.000644	-1.201E-05	6.4946E-07	-1.185E-08	7.6650E-03	4.066E-04
40.8	991.9080	-0.38841	0.000643	-1.197E-05	6.4828E-07	-1.182E-08	7.7058E-03	4.084E-04
40.9	991.8691	-0.38914	0.000642	-1.194E-05	6.4710E-07	-1.178E-08	7.7467E-03	4.103E-04
41.0	991.8302	-0.38988	0.000641	-1.190E-05	6.4592E-07	-1.175E-08	7.7878E-03	4.122E-04
41.1	991.7911	-0.39061	0.000639	-1.187E-05	6.4475E-07	-1.171E-08	7.8292E-03	4.141E-04
41.2	991.7520	-0.39135	0.000638	-1.183E-05	6.4358E-07	-1.167E-08	7.8707E-03	4.160E-04
41.3	991.7129	-0.39208	0.000637	-1.180E-05	6.4241E-07	-1.164E-08	7.9123E-03	4.179E-04
41.4	991.6736	-0.39281	0.000636	-1.176E-05	6.4125E-07	-1.160E-08	7.9542E-03	4.198E-04
41.5	991.6343	-0.39354	0.000635	-1.172E-05	6.4009E-07	-1.157E-08	7.9963E-03	4.217E-04
41.6	991.5949	-0.39427	0.000634	-1.169E-05	6.3894E-07	-1.153E-08	8.0386E-03	4.236E-04
41.7	991.5555	-0.39500	0.000632	-1.165E-05	6.3779E-07	-1.150E-08	8.0810E-03	4.255E-04
41.8	991.5159	-0.39573	0.000631	-1.162E-05	6.3664E-07	-1.146E-08	8.1237E-03	4.275E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
41.9	991.4763	-0.39645	0.000630	-1.158E-05	6.3549E-07	-1.143E-08	8.1665E-03	4.294E-04
42.0	991.4366	-0.39718	0.000629	-1.155E-05	6.3435E-07	-1.139E-08	8.2096E-03	4.314E-04
42.1	991.3969	-0.39790	0.000628	-1.151E-05	6.3321E-07	-1.136E-08	8.2528E-03	4.333E-04
42.2	991.3571	-0.39863	0.000627	-1.148E-05	6.3208E-07	-1.133E-08	8.2962E-03	4.353E-04
42.3	991.3172	-0.39935	0.000625	-1.145E-05	6.3095E-07	-1.129E-08	8.3399E-03	4.373E-04
42.4	991.2772	-0.40007	0.000624	-1.141E-05	6.2982E-07	-1.126E-08	8.3837E-03	4.393E-04
42.5	991.2371	-0.40079	0.000623	-1.138E-05	6.2870E-07	-1.122E-08	8.4277E-03	4.412E-04
42.6	991.1970	-0.40151	0.000622	-1.134E-05	6.2758E-07	-1.119E-08	8.4719E-03	4.432E-04
42.7	991.1568	-0.40223	0.000621	-1.131E-05	6.2646E-07	-1.116E-08	8.5164E-03	4.452E-04
42.8	991.1166	-0.40295	0.000620	-1.128E-05	6.2535E-07	-1.112E-08	8.5610E-03	4.472E-04
42.9	991.0762	-0.40366	0.000619	-1.124E-05	6.2423E-07	-1.109E-08	8.6058E-03	4.493E-04
43.0	991.0358	-0.40438	0.000618	-1.121E-05	6.2313E-07	-1.106E-08	8.6508E-03	4.513E-04
43.1	990.9954	-0.40509	0.000616	-1.118E-05	6.2202E-07	-1.102E-08	8.6961E-03	4.533E-04
43.2	990.9548	-0.40581	0.000615	-1.114E-05	6.2092E-07	-1.099E-08	8.7415E-03	4.554E-04
43.3	990.9142	-0.40652	0.000614	-1.111E-05	6.1982E-07	-1.096E-08	8.7871E-03	4.574E-04
43.4	990.8735	-0.40723	0.000613	-1.108E-05	6.1873E-07	-1.093E-08	8.8330E-03	4.595E-04
43.5	990.8328	-0.40794	0.000612	-1.105E-05	6.1764E-07	-1.089E-08	8.8790E-03	4.615E-04
43.6	990.7919	-0.40866	0.000611	-1.101E-05	6.1655E-07	-1.086E-08	8.9253E-03	4.636E-04
43.7	990.7510	-0.40936	0.000610	-1.098E-05	6.1547E-07	-1.083E-08	8.9717E-03	4.657E-04
43.8	990.7101	-0.41007	0.000609	-1.095E-05	6.1439E-07	-1.080E-08	9.0184E-03	4.678E-04
43.9	990.6690	-0.41078	0.000608	-1.092E-05	6.1331E-07	-1.076E-08	9.0653E-03	4.699E-04
44.0	990.6279	-0.41149	0.000606	-1.088E-05	6.1223E-07	-1.073E-08	9.1124E-03	4.720E-04
44.1	990.5867	-0.41219	0.000605	-1.085E-05	6.1116E-07	-1.070E-08	9.1597E-03	4.741E-04
44.2	990.5455	-0.41290	0.000604	-1.082E-05	6.1009E-07	-1.067E-08	9.2072E-03	4.762E-04
44.3	990.5041	-0.41360	0.000603	-1.079E-05	6.0903E-07	-1.064E-08	9.2549E-03	4.783E-04
44.4	990.4627	-0.41430	0.000602	-1.076E-05	6.0797E-07	-1.061E-08	9.3029E-03	4.804E-04
44.5	990.4213	-0.41501	0.000601	-1.073E-05	6.0691E-07	-1.058E-08	9.3510E-03	4.826E-04
44.6	990.3797	-0.41571	0.000600	-1.069E-05	6.0585E-07	-1.054E-08	9.3994E-03	4.847E-04
44.7	990.3381	-0.41641	0.000599	-1.066E-05	6.0480E-07	-1.051E-08	9.4480E-03	4.869E-04
44.8	990.2965	-0.41711	0.000598	-1.063E-05	6.0375E-07	-1.048E-08	9.4968E-03	4.890E-04
44.9	990.2547	-0.41780	0.000597	-1.060E-05	6.0270E-07	-1.045E-08	9.5458E-03	4.912E-04
45.0	990.2129	-0.41850	0.000596	-1.057E-05	6.0166E-07	-1.042E-08	9.5950E-03	4.934E-04
45.1	990.1710	-0.41920	0.000595	-1.054E-05	6.0062E-07	-1.039E-08	9.6444E-03	4.956E-04
45.2	990.1291	-0.41989	0.000594	-1.051E-05	5.9958E-07	-1.036E-08	9.6941E-03	4.978E-04
45.3	990.0870	-0.42059	0.000593	-1.048E-05	5.9855E-07	-1.033E-08	9.7440E-03	5.000E-04

Fresh Water and Seawater Properties

 Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m³)	(kg/m³·°C)	(Pa·s)	(Pa·s/°C)	(m²/s)	(m²/s·°C)	(MPa)	(MPa/°C)
45.4	990.0449	-0.42128	0.000592	-1.045E-05	5.9751E-07	-1.030E-08	9.7941E-03	5.022E-04
45.5	990.0028	-0.42198	0.000591	-1.042E-05	5.9649E-07	-1.027E-08	9.8444E-03	5.044E-04
45.6	989.9606	-0.42267	0.000589	-1.039E-05	5.9546E-07	-1.024E-08	9.8950E-03	5.066E-04
45.7	989.9182	-0.42336	0.000588	-1.036E-05	5.9444E-07	-1.021E-08	9.9458E-03	5.089E-04
45.8	989.8759	-0.42405	0.000587	-1.033E-05	5.9342E-07	-1.018E-08	9.9968E-03	5.111E-04
45.9	989.8334	-0.42474	0.000586	-1.030E-05	5.9240E-07	-1.015E-08	1.0048E-02	5.134E-04
46.0	989.7909	-0.42543	0.000585	-1.027E-05	5.9139E-07	-1.012E-08	1.0099E-02	5.156E-04
46.1	989.7484	-0.42612	0.000584	-1.024E-05	5.9038E-07	-1.009E-08	1.0151E-02	5.179E-04
46.2	989.7057	-0.42680	0.000583	-1.021E-05	5.8937E-07	-1.006E-08	1.0203E-02	5.202E-04
46.3	989.6630	-0.42749	0.000582	-1.018E-05	5.8836E-07	-1.003E-08	1.0255E-02	5.225E-04
46.4	989.6202	-0.42817	0.000581	-1.015E-05	5.8736E-07	-1.000E-08	1.0308E-02	5.247E-04
46.5	989.5774	-0.42886	0.000580	-1.012E-05	5.8636E-07	-9.976E-09	1.0360E-02	5.270E-04
46.6	989.5344	-0.42954	0.000579	-1.010E-05	5.8537E-07	-9.948E-09	1.0413E-02	5.294E-04
46.7	989.4915	-0.43022	0.000578	-1.007E-05	5.8437E-07	-9.918E-09	1.0466E-02	5.317E-04
46.8	989.4484	-0.43091	0.000577	-1.004E-05	5.8338E-07	-9.890E-09	1.0519E-02	5.340E-04
46.9	989.4053	-0.43159	0.000576	-1.001E-05	5.8240E-07	-9.862E-09	1.0573E-02	5.363E-04
47.0	989.3621	-0.43227	0.000575	-9.981E-06	5.8141E-07	-9.834E-09	1.0627E-02	5.387E-04
47.1	989.3188	-0.43295	0.000574	-9.951E-06	5.8043E-07	-9.805E-09	1.0680E-02	5.410E-04
47.2	989.2755	-0.43363	0.000573	-9.924E-06	5.7945E-07	-9.777E-09	1.0735E-02	5.434E-04
47.3	989.2321	-0.43430	0.000572	-9.895E-06	5.7847E-07	-9.749E-09	1.0789E-02	5.457E-04
47.4	989.1886	-0.43498	0.000571	-9.868E-06	5.7750E-07	-9.721E-09	1.0844E-02	5.481E-04
47.5	989.1451	-0.43566	0.000570	-9.840E-06	5.7653E-07	-9.694E-09	1.0899E-02	5.505E-04
47.6	989.1015	-0.43633	0.000569	-9.811E-06	5.7556E-07	-9.666E-09	1.0954E-02	5.529E-04
47.7	989.0578	-0.43701	0.000568	-9.784E-06	5.7460E-07	-9.638E-09	1.1009E-02	5.553E-04
47.8	989.0141	-0.43768	0.000567	-9.757E-06	5.7363E-07	-9.611E-09	1.1065E-02	5.577E-04
47.9	988.9703	-0.43835	0.000566	-9.729E-06	5.7267E-07	-9.584E-09	1.1121E-02	5.601E-04
48.0	988.9264	-0.43902	0.000565	-9.701E-06	5.7172E-07	-9.556E-09	1.1177E-02	5.626E-04
48.1	988.8825	-0.43970	0.000564	-9.674E-06	5.7076E-07	-9.529E-09	1.1233E-02	5.650E-04
48.2	988.8385	-0.44037	0.000563	-9.647E-06	5.6981E-07	-9.502E-09	1.1290E-02	5.674E-04
48.3	988.7944	-0.44103	0.000562	-9.620E-06	5.6886E-07	-9.475E-09	1.1347E-02	5.699E-04
48.4	988.7503	-0.44170	0.000562	-9.593E-06	5.6792E-07	-9.448E-09	1.1404E-02	5.723E-04
48.5	988.7061	-0.44237	0.000561	-9.566E-06	5.6697E-07	-9.422E-09	1.1461E-02	5.748E-04
48.6	988.6618	-0.44304	0.000560	-9.539E-06	5.6603E-07	-9.395E-09	1.1519E-02	5.773E-04
48.7	988.6175	-0.44371	0.000559	-9.513E-06	5.6509E-07	-9.368E-09	1.1577E-02	5.798E-04
48.8	988.5731	-0.44437	0.000558	-9.486E-06	5.6416E-07	-9.342E-09	1.1635E-02	5.823E-04

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t	Density ρ	$\partial\rho/\partial t$	Viscosity μ	$\partial\mu/\partial t$	$\nu = \mu/\rho$	$\partial\nu/\partial t$	Pressure p_v	$\partial p_v/\partial t$
(°C)	(kg/m ³)	(kg/m ³ ·°C)	(Pa·s)	(Pa·s/°C)	(m ² /s)	(m ² /s·°C)	(MPa)	(MPa/°C)
48.9	988.5286	-0.44504	0.000557	-9.459E-06	5.6323E-07	-9.316E-09	1.1693E-02	5.848E-04
49.0	988.4841	-0.44570	0.000556	-9.433E-06	5.6229E-07	-9.289E-09	1.1752E-02	5.873E-04
49.1	988.4395	-0.44636	0.000555	-9.407E-06	5.6137E-07	-9.264E-09	1.1811E-02	5.898E-04
49.2	988.3948	-0.44703	0.000554	-9.381E-06	5.6044E-07	-9.238E-09	1.1870E-02	5.924E-04
49.3	988.3500	-0.44769	0.000553	-9.355E-06	5.5952E-07	-9.212E-09	1.1929E-02	5.949E-04
49.4	988.3052	-0.44835	0.000552	-9.329E-06	5.5860E-07	-9.186E-09	1.1989E-02	5.974E-04
49.5	988.2604	-0.44901	0.000551	-9.303E-06	5.5768E-07	-9.160E-09	1.2049E-02	6.000E-04
49.6	988.2154	-0.44967	0.000550	-9.277E-06	5.5677E-07	-9.134E-09	1.2109E-02	6.026E-04
49.7	988.1704	-0.45033	0.000549	-9.252E-06	5.5586E-07	-9.109E-09	1.2169E-02	6.051E-04
49.8	988.1254	-0.45098	0.000548	-9.226E-06	5.5495E-07	-9.084E-09	1.2230E-02	6.077E-04
49.9	988.0802	-0.45164	0.000547	-9.200E-06	5.5404E-07	-9.058E-09	1.2291E-02	6.103E-04
50.0	988.0351	-0.45230	0.000547		5.5313E-07		1.2352E-02	

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Appendix B. STANDARD SALTWATER PROPERTIES 0.1 TO 50 °C IN 0.1 °C INCREMENTS

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
0.1	1028.1499		0.001900		1.8480E-06		6.0306E-04	
0.2	1028.1442	-0.0575	0.001894	-6.462E-05	1.8417E-06	-6.275E-08	6.0745E-04	4.407E-05
0.3	1028.1384	-0.0585	0.001887	-6.427E-05	1.8354E-06	-6.240E-08	6.1187E-04	4.436E-05
0.4	1028.1325	-0.0600	0.001881	-6.391E-05	1.8292E-06	-6.206E-08	6.1632E-04	4.464E-05
0.5	1028.1264	-0.0615	0.001874	-6.356E-05	1.8230E-06	-6.172E-08	6.2080E-04	4.493E-05
0.6	1028.1202	-0.0625	0.001868	-6.322E-05	1.8169E-06	-6.138E-08	6.2531E-04	4.522E-05
0.7	1028.1139	-0.0640	0.001862	-6.287E-05	1.8107E-06	-6.104E-08	6.2985E-04	4.551E-05
0.8	1028.1074	-0.0655	0.001855	-6.253E-05	1.8047E-06	-6.071E-08	6.3441E-04	4.580E-05
0.9	1028.1008	-0.0665	0.001849	-6.219E-05	1.7986E-06	-6.038E-08	6.3901E-04	4.609E-05
1.0	1028.0941	-0.0680	0.001843	-6.186E-05	1.7926E-06	-6.005E-08	6.4363E-04	4.639E-05
1.1	1028.0872	-0.0695	0.001837	-6.152E-05	1.7866E-06	-5.972E-08	6.4828E-04	4.669E-05
1.2	1028.0802	-0.0705	0.001831	-6.119E-05	1.7806E-06	-5.940E-08	6.5297E-04	4.699E-05
1.3	1028.0731	-0.0720	0.001825	-6.086E-05	1.7747E-06	-5.907E-08	6.5768E-04	4.729E-05
1.4	1028.0658	-0.0730	0.001818	-6.053E-05	1.7688E-06	-5.876E-08	6.6243E-04	4.759E-05
1.5	1028.0585	-0.0740	0.001812	-6.021E-05	1.7630E-06	-5.844E-08	6.6720E-04	4.789E-05
1.6	1028.0510	-0.0760	0.001806	-5.989E-05	1.7571E-06	-5.812E-08	6.7200E-04	4.820E-05
1.7	1028.0433	-0.0770	0.001800	-5.957E-05	1.7513E-06	-5.781E-08	6.7684E-04	4.850E-05
1.8	1028.0356	-0.0780	0.001795	-5.925E-05	1.7456E-06	-5.750E-08	6.8170E-04	4.881E-05
1.9	1028.0277	-0.0795	0.001789	-5.893E-05	1.7398E-06	-5.719E-08	6.8660E-04	4.912E-05
2.0	1028.0197	-0.0810	0.001783	-5.862E-05	1.7341E-06	-5.689E-08	6.9153E-04	4.944E-05
2.1	1028.0115	-0.0820	0.001777	-5.831E-05	1.7285E-06	-5.658E-08	6.9649E-04	4.975E-05
2.2	1028.0033	-0.0830	0.001771	-5.800E-05	1.7228E-06	-5.628E-08	7.0148E-04	5.006E-05
2.3	1027.9949	-0.0845	0.001765	-5.770E-05	1.7172E-06	-5.598E-08	7.0650E-04	5.038E-05
2.4	1027.9864	-0.0855	0.001760	-5.739E-05	1.7116E-06	-5.569E-08	7.1156E-04	5.070E-05
2.5	1027.9778	-0.0870	0.001754	-5.709E-05	1.7061E-06	-5.539E-08	7.1664E-04	5.102E-05
2.6	1027.9690	-0.0885	0.001748	-5.679E-05	1.7005E-06	-5.510E-08	7.2176E-04	5.134E-05
2.7	1027.9601	-0.0895	0.001742	-5.649E-05	1.6950E-06	-5.481E-08	7.2691E-04	5.167E-05
2.8	1027.9511	-0.0905	0.001737	-5.620E-05	1.6896E-06	-5.452E-08	7.3209E-04	5.199E-05
2.9	1027.9420	-0.0920	0.001731	-5.591E-05	1.6841E-06	-5.424E-08	7.3731E-04	5.232E-05
3.0	1027.9327	-0.0930	0.001726	-5.561E-05	1.6787E-06	-5.395E-08	7.4256E-04	5.265E-05
3.1	1027.9234	-0.0940	0.001720	-5.533E-05	1.6734E-06	-5.367E-08	7.4784E-04	5.298E-05
3.2	1027.9139	-0.0960	0.001715	-5.504E-05	1.6680E-06	-5.339E-08	7.5315E-04	5.331E-05

Fresh Water and Seawater Properties

 Effective Date
2024 Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
3.3	1027.9042	-0.0970	0.001709	-5.475E-05	1.6627E-06	-5.311E-08	7.5850E-04	5.365E-05
3.4	1027.8945	-0.0980	0.001704	-5.447E-05	1.6574E-06	-5.283E-08	7.6388E-04	5.399E-05
3.5	1027.8846	-0.0990	0.001698	-5.419E-05	1.6521E-06	-5.256E-08	7.6930E-04	5.432E-05
3.6	1027.8747	-0.1000	0.001693	-5.391E-05	1.6469E-06	-5.229E-08	7.7475E-04	5.466E-05
3.7	1027.8646	-0.1015	0.001687	-5.364E-05	1.6416E-06	-5.202E-08	7.8023E-04	5.501E-05
3.8	1027.8544	-0.1030	0.001682	-5.336E-05	1.6365E-06	-5.175E-08	7.8575E-04	5.535E-05
3.9	1027.8440	-0.1040	0.001677	-5.309E-05	1.6313E-06	-5.148E-08	7.9130E-04	5.570E-05
4.0	1027.8336	-0.1050	0.001671	-5.282E-05	1.6262E-06	-5.122E-08	7.9689E-04	5.604E-05
4.1	1027.8230	-0.1065	0.001666	-5.255E-05	1.6211E-06	-5.096E-08	8.0251E-04	5.639E-05
4.2	1027.8123	-0.1075	0.001661	-5.228E-05	1.6160E-06	-5.070E-08	8.0817E-04	5.675E-05
4.3	1027.8015	-0.1085	0.001656	-5.201E-05	1.6109E-06	-5.044E-08	8.1386E-04	5.710E-05
4.4	1027.7906	-0.1100	0.001651	-5.175E-05	1.6059E-06	-5.018E-08	8.1959E-04	5.745E-05
4.5	1027.7795	-0.1110	0.001645	-5.149E-05	1.6009E-06	-4.992E-08	8.2535E-04	5.781E-05
4.6	1027.7684	-0.1120	0.001640	-5.123E-05	1.5959E-06	-4.967E-08	8.3115E-04	5.817E-05
4.7	1027.7571	-0.1135	0.001635	-5.097E-05	1.5909E-06	-4.942E-08	8.3699E-04	5.853E-05
4.8	1027.7457	-0.1145	0.001630	-5.071E-05	1.5860E-06	-4.917E-08	8.4286E-04	5.889E-05
4.9	1027.7342	-0.1160	0.001625	-5.046E-05	1.5811E-06	-4.892E-08	8.4876E-04	5.926E-05
5.0	1027.7225	-0.1170	0.001620	-5.021E-05	1.5762E-06	-4.867E-08	8.5471E-04	5.962E-05
5.1	1027.7108	-0.1180	0.001615	-4.996E-05	1.5714E-06	-4.843E-08	8.6069E-04	5.999E-05
5.2	1027.6989	-0.1190	0.001610	-4.971E-05	1.5665E-06	-4.818E-08	8.6671E-04	6.036E-05
5.3	1027.6870	-0.1200	0.001605	-4.946E-05	1.5617E-06	-4.794E-08	8.7276E-04	6.074E-05
5.4	1027.6749	-0.1215	0.001600	-4.921E-05	1.5570E-06	-4.770E-08	8.7885E-04	6.111E-05
5.5	1027.6627	-0.1225	0.001595	-4.897E-05	1.5522E-06	-4.746E-08	8.8498E-04	6.149E-05
5.6	1027.6504	-0.1240	0.001590	-4.873E-05	1.5475E-06	-4.723E-08	8.9115E-04	6.186E-05
5.7	1027.6379	-0.1250	0.001585	-4.848E-05	1.5428E-06	-4.699E-08	8.9736E-04	6.225E-05
5.8	1027.6254	-0.1260	0.001581	-4.824E-05	1.5381E-06	-4.676E-08	9.0360E-04	6.263E-05
5.9	1027.6127	-0.1270	0.001576	-4.801E-05	1.5334E-06	-4.653E-08	9.0988E-04	6.301E-05
6.0	1027.6000	-0.1280	0.001571	-4.777E-05	1.5288E-06	-4.630E-08	9.1620E-04	6.340E-05
6.1	1027.5871	-0.1295	0.001566	-4.754E-05	1.5241E-06	-4.607E-08	9.2256E-04	6.379E-05
6.2	1027.5741	-0.1305	0.001561	-4.730E-05	1.5195E-06	-4.584E-08	9.2896E-04	6.418E-05
6.3	1027.5610	-0.1315	0.001557	-4.707E-05	1.5150E-06	-4.562E-08	9.3540E-04	6.457E-05
6.4	1027.5478	-0.1330	0.001552	-4.684E-05	1.5104E-06	-4.539E-08	9.4187E-04	6.496E-05
6.5	1027.5344	-0.1340	0.001547	-4.661E-05	1.5059E-06	-4.517E-08	9.4839E-04	6.536E-05
6.6	1027.5210	-0.1345	0.001543	-4.639E-05	1.5014E-06	-4.495E-08	9.5495E-04	6.576E-05
6.7	1027.5075	-0.1360	0.001538	-4.616E-05	1.4969E-06	-4.473E-08	9.6154E-04	6.616E-05

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
6.8	1027.4938	-0.1375	0.001533	-4.594E-05	1.4924E-06	-4.451E-08	9.6818E-04	6.656E-05
6.9	1027.4800	-0.1380	0.001529	-4.572E-05	1.4880E-06	-4.429E-08	9.7485E-04	6.697E-05
7.0	1027.4662	-0.1390	0.001524	-4.549E-05	1.4836E-06	-4.408E-08	9.8157E-04	6.738E-05
7.1	1027.4522	-0.1405	0.001520	-4.528E-05	1.4792E-06	-4.386E-08	9.8833E-04	6.779E-05
7.2	1027.4381	-0.1415	0.001515	-4.506E-05	1.4748E-06	-4.365E-08	9.9513E-04	6.820E-05
7.3	1027.4239	-0.1430	0.001511	-4.484E-05	1.4705E-06	-4.344E-08	1.0020E-03	6.861E-05
7.4	1027.4095	-0.1440	0.001506	-4.463E-05	1.4661E-06	-4.323E-08	1.0089E-03	6.903E-05
7.5	1027.3951	-0.1445	0.001502	-4.441E-05	1.4618E-06	-4.302E-08	1.0158E-03	6.944E-05
7.6	1027.3806	-0.1460	0.001497	-4.420E-05	1.4575E-06	-4.281E-08	1.0227E-03	6.986E-05
7.7	1027.3659	-0.1470	0.001493	-4.399E-05	1.4533E-06	-4.261E-08	1.0297E-03	7.029E-05
7.8	1027.3512	-0.1480	0.001489	-4.378E-05	1.4490E-06	-4.241E-08	1.0368E-03	7.071E-05
7.9	1027.3363	-0.1490	0.001484	-4.357E-05	1.4448E-06	-4.220E-08	1.0439E-03	7.114E-05
8.0	1027.3214	-0.1500	0.001480	-4.337E-05	1.4406E-06	-4.200E-08	1.0510E-03	7.156E-05
8.1	1027.3063	-0.1515	0.001476	-4.316E-05	1.4364E-06	-4.180E-08	1.0582E-03	7.200E-05
8.2	1027.2911	-0.1525	0.001471	-4.296E-05	1.4322E-06	-4.160E-08	1.0654E-03	7.243E-05
8.3	1027.2758	-0.1530	0.001467	-4.275E-05	1.4280E-06	-4.141E-08	1.0727E-03	7.286E-05
8.4	1027.2605	-0.1540	0.001463	-4.255E-05	1.4239E-06	-4.121E-08	1.0800E-03	7.330E-05
8.5	1027.2450	-0.1555	0.001458	-4.235E-05	1.4198E-06	-4.101E-08	1.0873E-03	7.374E-05
8.6	1027.2294	-0.1570	0.001454	-4.215E-05	1.4157E-06	-4.082E-08	1.0947E-03	7.418E-05
8.7	1027.2136	-0.1580	0.001450	-4.196E-05	1.4116E-06	-4.063E-08	1.1022E-03	7.463E-05
8.8	1027.1978	-0.1585	0.001446	-4.176E-05	1.4076E-06	-4.044E-08	1.1097E-03	7.507E-05
8.9	1027.1819	-0.1595	0.001442	-4.156E-05	1.4036E-06	-4.025E-08	1.1172E-03	7.552E-05
9.0	1027.1659	-0.1605	0.001438	-4.137E-05	1.3995E-06	-4.006E-08	1.1248E-03	7.597E-05
9.1	1027.1498	-0.1620	0.001433	-4.118E-05	1.3955E-06	-3.987E-08	1.1324E-03	7.643E-05
9.2	1027.1335	-0.1630	0.001429	-4.099E-05	1.3916E-06	-3.968E-08	1.1401E-03	7.688E-05
9.3	1027.1172	-0.1635	0.001425	-4.080E-05	1.3876E-06	-3.950E-08	1.1478E-03	7.734E-05
9.4	1027.1008	-0.1650	0.001421	-4.061E-05	1.3837E-06	-3.931E-08	1.1555E-03	7.780E-05
9.5	1027.0842	-0.1660	0.001417	-4.042E-05	1.3797E-06	-3.913E-08	1.1633E-03	7.827E-05
9.6	1027.0676	-0.1670	0.001413	-4.023E-05	1.3758E-06	-3.895E-08	1.1712E-03	7.873E-05
9.7	1027.0508	-0.1680	0.001409	-4.005E-05	1.3720E-06	-3.877E-08	1.1791E-03	7.920E-05
9.8	1027.0340	-0.1690	0.001405	-3.987E-05	1.3681E-06	-3.859E-08	1.1870E-03	7.967E-05
9.9	1027.0170	-0.1700	0.001401	-3.968E-05	1.3642E-06	-3.841E-08	1.1950E-03	8.014E-05
10.0	1027.0000	-0.1710	0.001397	-3.950E-05	1.3604E-06	-3.823E-08	1.2030E-03	8.061E-05
10.1	1026.9828	-0.1725	0.001393	-3.932E-05	1.3566E-06	-3.806E-08	1.2111E-03	8.109E-05
10.2	1026.9655	-0.1730	0.001389	-3.914E-05	1.3528E-06	-3.788E-08	1.2193E-03	8.157E-05

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
10.3	1026.9482	-0.1740	0.001385	-3.896E-05	1.3490E-06	-3.771E-08	1.2274E-03	8.205E-05
10.4	1026.9307	-0.1755	0.001381	-3.878E-05	1.3453E-06	-3.754E-08	1.2357E-03	8.254E-05
10.5	1026.9131	-0.1760	0.001378	-3.861E-05	1.3415E-06	-3.737E-08	1.2440E-03	8.302E-05
10.6	1026.8955	-0.1770	0.001374	-3.843E-05	1.3378E-06	-3.720E-08	1.2523E-03	8.351E-05
10.7	1026.8777	-0.1785	0.001370	-3.826E-05	1.3341E-06	-3.703E-08	1.2607E-03	8.401E-05
10.8	1026.8598	-0.1790	0.001366	-3.809E-05	1.3304E-06	-3.686E-08	1.2691E-03	8.450E-05
10.9	1026.8419	-0.1800	0.001362	-3.791E-05	1.3267E-06	-3.669E-08	1.2776E-03	8.500E-05
11.0	1026.8238	-0.1815	0.001359	-3.774E-05	1.3230E-06	-3.652E-08	1.2861E-03	8.550E-05
11.1	1026.8056	-0.1825	0.001355	-3.757E-05	1.3194E-06	-3.636E-08	1.2947E-03	8.600E-05
11.2	1026.7873	-0.1830	0.001351	-3.741E-05	1.3158E-06	-3.620E-08	1.3033E-03	8.650E-05
11.3	1026.7690	-0.1840	0.001347	-3.724E-05	1.3122E-06	-3.603E-08	1.3120E-03	8.701E-05
11.4	1026.7505	-0.1855	0.001344	-3.707E-05	1.3086E-06	-3.587E-08	1.3207E-03	8.752E-05
11.5	1026.7319	-0.1860	0.001340	-3.691E-05	1.3050E-06	-3.571E-08	1.3295E-03	8.803E-05
11.6	1026.7133	-0.1870	0.001336	-3.674E-05	1.3014E-06	-3.555E-08	1.3383E-03	8.854E-05
11.7	1026.6945	-0.1885	0.001333	-3.658E-05	1.2979E-06	-3.539E-08	1.3472E-03	8.906E-05
11.8	1026.6756	-0.1890	0.001329	-3.642E-05	1.2943E-06	-3.523E-08	1.3561E-03	8.958E-05
11.9	1026.6567	-0.1900	0.001325	-3.625E-05	1.2908E-06	-3.507E-08	1.3651E-03	9.010E-05
12.0	1026.6376	-0.1915	0.001322	-3.609E-05	1.2873E-06	-3.492E-08	1.3741E-03	9.063E-05
12.1	1026.6184	-0.1920	0.001318	-3.593E-05	1.2838E-06	-3.476E-08	1.3832E-03	9.115E-05
12.2	1026.5992	-0.1930	0.001314	-3.578E-05	1.2804E-06	-3.461E-08	1.3924E-03	9.168E-05
12.3	1026.5798	-0.1940	0.001311	-3.562E-05	1.2769E-06	-3.446E-08	1.4015E-03	9.221E-05
12.4	1026.5604	-0.1950	0.001307	-3.546E-05	1.2735E-06	-3.430E-08	1.4108E-03	9.275E-05
12.5	1026.5408	-0.1960	0.001304	-3.531E-05	1.2701E-06	-3.415E-08	1.4201E-03	9.329E-05
12.6	1026.5212	-0.1970	0.001300	-3.515E-05	1.2666E-06	-3.400E-08	1.4295E-03	9.383E-05
12.7	1026.5014	-0.1980	0.001297	-3.500E-05	1.2633E-06	-3.385E-08	1.4389E-03	9.437E-05
12.8	1026.4816	-0.1985	0.001293	-3.484E-05	1.2599E-06	-3.370E-08	1.4483E-03	9.492E-05
12.9	1026.4617	-0.2000	0.001290	-3.469E-05	1.2565E-06	-3.355E-08	1.4578E-03	9.546E-05
13.0	1026.4416	-0.2010	0.001286	-3.454E-05	1.2532E-06	-3.341E-08	1.4674E-03	9.601E-05
13.1	1026.4215	-0.2015	0.001283	-3.439E-05	1.2498E-06	-3.326E-08	1.4770E-03	9.657E-05
13.2	1026.4013	-0.2030	0.001279	-3.424E-05	1.2465E-06	-3.312E-08	1.4867E-03	9.713E-05
13.3	1026.3809	-0.2040	0.001276	-3.409E-05	1.2432E-06	-3.297E-08	1.4965E-03	9.768E-05
13.4	1026.3605	-0.2045	0.001273	-3.395E-05	1.2399E-06	-3.283E-08	1.5063E-03	9.825E-05
13.5	1026.3400	-0.2055	0.001269	-3.380E-05	1.2366E-06	-3.268E-08	1.5161E-03	9.881E-05
13.6	1026.3194	-0.2065	0.001266	-3.365E-05	1.2334E-06	-3.254E-08	1.5260E-03	9.938E-05
13.7	1026.2987	-0.2075	0.001262	-3.351E-05	1.2301E-06	-3.240E-08	1.5360E-03	9.995E-05

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
13.8	1026.2779	-0.2085	0.001259	-3.337E-05	1.2269E-06	-3.226E-08	1.5460E-03	1.005E-04
13.9	1026.2570	-0.2095	0.001256	-3.322E-05	1.2237E-06	-3.212E-08	1.5561E-03	1.011E-04
14.0	1026.2360	-0.2105	0.001252	-3.308E-05	1.2205E-06	-3.198E-08	1.5662E-03	1.017E-04
14.1	1026.2149	-0.2110	0.001249	-3.294E-05	1.2173E-06	-3.185E-08	1.5764E-03	1.023E-04
14.2	1026.1938	-0.2120	0.001246	-3.280E-05	1.2141E-06	-3.171E-08	1.5867E-03	1.028E-04
14.3	1026.1725	-0.2135	0.001243	-3.266E-05	1.2109E-06	-3.157E-08	1.5970E-03	1.034E-04
14.4	1026.1511	-0.2140	0.001239	-3.252E-05	1.2078E-06	-3.144E-08	1.6074E-03	1.040E-04
14.5	1026.1297	-0.2150	0.001236	-3.238E-05	1.2047E-06	-3.130E-08	1.6178E-03	1.046E-04
14.6	1026.1081	-0.2160	0.001233	-3.224E-05	1.2015E-06	-3.117E-08	1.6283E-03	1.052E-04
14.7	1026.0865	-0.2170	0.001230	-3.211E-05	1.1984E-06	-3.104E-08	1.6389E-03	1.058E-04
14.8	1026.0647	-0.2180	0.001226	-3.197E-05	1.1953E-06	-3.091E-08	1.6495E-03	1.064E-04
14.9	1026.0429	-0.2185	0.001223	-3.184E-05	1.1922E-06	-3.077E-08	1.6601E-03	1.070E-04
15.0	1026.0210	-0.2195	0.001220	-3.170E-05	1.1892E-06	-3.064E-08	1.6709E-03	1.076E-04
15.1	1025.9990	-0.2205	0.001217	-3.157E-05	1.1861E-06	-3.051E-08	1.6817E-03	1.082E-04
15.2	1025.9769	-0.2215	0.001214	-3.144E-05	1.1831E-06	-3.038E-08	1.6925E-03	1.088E-04
15.3	1025.9547	-0.2225	0.001211	-3.130E-05	1.1800E-06	-3.026E-08	1.7034E-03	1.095E-04
15.4	1025.9324	-0.2235	0.001208	-3.117E-05	1.1770E-06	-3.013E-08	1.7144E-03	1.101E-04
15.5	1025.9100	-0.2245	0.001204	-3.104E-05	1.1740E-06	-3.000E-08	1.7254E-03	1.107E-04
15.6	1025.8875	-0.2250	0.001201	-3.091E-05	1.1710E-06	-2.988E-08	1.7365E-03	1.113E-04
15.7	1025.8650	-0.2260	0.001198	-3.078E-05	1.1680E-06	-2.975E-08	1.7477E-03	1.119E-04
15.8	1025.8423	-0.2270	0.001195	-3.066E-05	1.1651E-06	-2.963E-08	1.7589E-03	1.126E-04
15.9	1025.8196	-0.2280	0.001192	-3.053E-05	1.1621E-06	-2.950E-08	1.7702E-03	1.132E-04
16.0	1025.7967	-0.2290	0.001189	-3.040E-05	1.1592E-06	-2.938E-08	1.7816E-03	1.139E-04
16.1	1025.7738	-0.2295	0.001186	-3.028E-05	1.1562E-06	-2.926E-08	1.7930E-03	1.145E-04
16.2	1025.7508	-0.2310	0.001183	-3.015E-05	1.1533E-06	-2.913E-08	1.8045E-03	1.151E-04
16.3	1025.7276	-0.2320	0.001180	-3.003E-05	1.1504E-06	-2.901E-08	1.8160E-03	1.158E-04
16.4	1025.7044	-0.2325	0.001177	-2.990E-05	1.1475E-06	-2.889E-08	1.8276E-03	1.164E-04
16.5	1025.6811	-0.2330	0.001174	-2.978E-05	1.1446E-06	-2.877E-08	1.8393E-03	1.171E-04
16.6	1025.6578	-0.2340	0.001171	-2.966E-05	1.1418E-06	-2.865E-08	1.8510E-03	1.177E-04
16.7	1025.6343	-0.2355	0.001168	-2.954E-05	1.1389E-06	-2.854E-08	1.8629E-03	1.184E-04
16.8	1025.6107	-0.2360	0.001165	-2.942E-05	1.1360E-06	-2.842E-08	1.8747E-03	1.191E-04
16.9	1025.5871	-0.2370	0.001162	-2.929E-05	1.1332E-06	-2.830E-08	1.8867E-03	1.197E-04
17.0	1025.5633	-0.2380	0.001159	-2.918E-05	1.1304E-06	-2.819E-08	1.8987E-03	1.204E-04
17.1	1025.5395	-0.2385	0.001156	-2.906E-05	1.1276E-06	-2.807E-08	1.9107E-03	1.211E-04
17.2	1025.5156	-0.2395	0.001153	-2.894E-05	1.1248E-06	-2.796E-08	1.9229E-03	1.217E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
17.3	1025.4916	-0.2405	0.001151	-2.882E-05	1.1220E-06	-2.784E-08	1.9351E-03	1.224E-04
17.4	1025.4675	-0.2415	0.001148	-2.870E-05	1.1192E-06	-2.773E-08	1.9474E-03	1.231E-04
17.5	1025.4433	-0.2425	0.001145	-2.859E-05	1.1164E-06	-2.761E-08	1.9597E-03	1.238E-04
17.6	1025.4190	-0.2430	0.001142	-2.847E-05	1.1137E-06	-2.750E-08	1.9721E-03	1.245E-04
17.7	1025.3947	-0.2440	0.001139	-2.836E-05	1.1109E-06	-2.739E-08	1.9846E-03	1.252E-04
17.8	1025.3702	-0.2450	0.001136	-2.824E-05	1.1082E-06	-2.728E-08	1.9971E-03	1.258E-04
17.9	1025.3457	-0.2460	0.001134	-2.813E-05	1.1055E-06	-2.717E-08	2.0098E-03	1.265E-04
18.0	1025.3210	-0.2470	0.001131	-2.801E-05	1.1028E-06	-2.706E-08	2.0225E-03	1.272E-04
18.1	1025.2963	-0.2475	0.001128	-2.790E-05	1.1001E-06	-2.695E-08	2.0352E-03	1.279E-04
18.2	1025.2715	-0.2485	0.001125	-2.779E-05	1.0974E-06	-2.684E-08	2.0480E-03	1.287E-04
18.3	1025.2466	-0.2495	0.001122	-2.768E-05	1.0947E-06	-2.673E-08	2.0609E-03	1.294E-04
18.4	1025.2216	-0.2500	0.001120	-2.757E-05	1.0920E-06	-2.662E-08	2.0739E-03	1.301E-04
18.5	1025.1966	-0.2510	0.001117	-2.746E-05	1.0894E-06	-2.652E-08	2.0870E-03	1.308E-04
18.6	1025.1714	-0.2520	0.001114	-2.735E-05	1.0867E-06	-2.641E-08	2.1001E-03	1.315E-04
18.7	1025.1462	-0.2525	0.001111	-2.724E-05	1.0841E-06	-2.631E-08	2.1133E-03	1.322E-04
18.8	1025.1209	-0.2535	0.001109	-2.713E-05	1.0815E-06	-2.620E-08	2.1265E-03	1.330E-04
18.9	1025.0955	-0.2545	0.001106	-2.702E-05	1.0789E-06	-2.610E-08	2.1399E-03	1.337E-04
19.0	1025.0700	-0.2555	0.001103	-2.692E-05	1.0763E-06	-2.599E-08	2.1533E-03	1.344E-04
19.1	1025.0444	-0.2565	0.001101	-2.681E-05	1.0737E-06	-2.589E-08	2.1667E-03	1.352E-04
19.2	1025.0187	-0.2575	0.001098	-2.671E-05	1.0711E-06	-2.578E-08	2.1803E-03	1.359E-04
19.3	1024.9929	-0.2580	0.001095	-2.660E-05	1.0685E-06	-2.568E-08	2.1939E-03	1.366E-04
19.4	1024.9671	-0.2585	0.001093	-2.650E-05	1.0659E-06	-2.558E-08	2.2076E-03	1.374E-04
19.5	1024.9412	-0.2595	0.001090	-2.639E-05	1.0634E-06	-2.548E-08	2.2214E-03	1.381E-04
19.6	1024.9152	-0.2605	0.001087	-2.629E-05	1.0608E-06	-2.538E-08	2.2353E-03	1.389E-04
19.7	1024.8891	-0.2615	0.001085	-2.618E-05	1.0583E-06	-2.528E-08	2.2492E-03	1.397E-04
19.8	1024.8629	-0.2625	0.001082	-2.608E-05	1.0558E-06	-2.518E-08	2.2632E-03	1.404E-04
19.9	1024.8366	-0.2630	0.001079	-2.598E-05	1.0533E-06	-2.508E-08	2.2773E-03	1.412E-04
20.0	1024.8103	-0.2640	0.001077	-2.588E-05	1.0508E-06	-2.498E-08	2.2914E-03	1.419E-04
20.1	1024.7838	-0.2650	0.001074	-2.578E-05	1.0483E-06	-2.488E-08	2.3056E-03	1.427E-04
20.2	1024.7573	-0.2655	0.001072	-2.568E-05	1.0458E-06	-2.479E-08	2.3200E-03	1.435E-04
20.3	1024.7307	-0.2665	0.001069	-2.558E-05	1.0433E-06	-2.469E-08	2.3343E-03	1.443E-04
20.4	1024.7040	-0.2675	0.001067	-2.548E-05	1.0409E-06	-2.459E-08	2.3488E-03	1.451E-04
20.5	1024.6772	-0.2680	0.001064	-2.538E-05	1.0384E-06	-2.450E-08	2.3634E-03	1.458E-04
20.6	1024.6504	-0.2690	0.001061	-2.528E-05	1.0360E-06	-2.440E-08	2.3780E-03	1.466E-04
20.7	1024.6234	-0.2700	0.001059	-2.518E-05	1.0335E-06	-2.431E-08	2.3927E-03	1.474E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
20.8	1024.5964	-0.2705	0.001056	-2.509E-05	1.0311E-06	-2.421E-08	2.4075E-03	1.482E-04
20.9	1024.5693	-0.2715	0.001054	-2.499E-05	1.0287E-06	-2.412E-08	2.4223E-03	1.490E-04
21.0	1024.5421	-0.2725	0.001051	-2.489E-05	1.0263E-06	-2.402E-08	2.4373E-03	1.498E-04
21.1	1024.5148	-0.2735	0.001049	-2.480E-05	1.0239E-06	-2.393E-08	2.4523E-03	1.506E-04
21.2	1024.4874	-0.2740	0.001047	-2.470E-05	1.0215E-06	-2.384E-08	2.4674E-03	1.514E-04
21.3	1024.4600	-0.2745	0.001044	-2.461E-05	1.0191E-06	-2.375E-08	2.4826E-03	1.523E-04
21.4	1024.4325	-0.2755	0.001042	-2.451E-05	1.0167E-06	-2.366E-08	2.4978E-03	1.531E-04
21.5	1024.4049	-0.2765	0.001039	-2.442E-05	1.0144E-06	-2.357E-08	2.5132E-03	1.539E-04
21.6	1024.3772	-0.2775	0.001037	-2.433E-05	1.0120E-06	-2.347E-08	2.5286E-03	1.547E-04
21.7	1024.3494	-0.2785	0.001034	-2.424E-05	1.0097E-06	-2.338E-08	2.5441E-03	1.555E-04
21.8	1024.3215	-0.2790	0.001032	-2.414E-05	1.0073E-06	-2.330E-08	2.5597E-03	1.564E-04
21.9	1024.2936	-0.2795	0.001029	-2.405E-05	1.0050E-06	-2.321E-08	2.5754E-03	1.572E-04
22.0	1024.2656	-0.2805	0.001027	-2.396E-05	1.0027E-06	-2.312E-08	2.5912E-03	1.581E-04
22.1	1024.2375	-0.2815	0.001025	-2.387E-05	1.0004E-06	-2.303E-08	2.6070E-03	1.589E-04
22.2	1024.2093	-0.2825	0.001022	-2.378E-05	9.9810E-07	-2.294E-08	2.6230E-03	1.598E-04
22.3	1024.1810	-0.2835	0.001020	-2.369E-05	9.9581E-07	-2.285E-08	2.6390E-03	1.606E-04
22.4	1024.1526	-0.2840	0.001018	-2.360E-05	9.9353E-07	-2.277E-08	2.6551E-03	1.615E-04
22.5	1024.1242	-0.2845	0.001015	-2.351E-05	9.9126E-07	-2.268E-08	2.6713E-03	1.623E-04
22.6	1024.0957	-0.2855	0.001013	-2.342E-05	9.8899E-07	-2.260E-08	2.6875E-03	1.632E-04
22.7	1024.0671	-0.2865	0.001010	-2.334E-05	9.8674E-07	-2.251E-08	2.7039E-03	1.641E-04
22.8	1024.0384	-0.2870	0.001008	-2.325E-05	9.8449E-07	-2.243E-08	2.7204E-03	1.649E-04
22.9	1024.0097	-0.2880	0.001006	-2.316E-05	9.8225E-07	-2.234E-08	2.7369E-03	1.658E-04
23.0	1023.9808	-0.2890	0.001004	-2.307E-05	9.8002E-07	-2.226E-08	2.7535E-03	1.667E-04
23.1	1023.9519	-0.2895	0.001001	-2.299E-05	9.7780E-07	-2.217E-08	2.7702E-03	1.676E-04
23.2	1023.9229	-0.2905	0.000999	-2.290E-05	9.7559E-07	-2.209E-08	2.7870E-03	1.684E-04
23.3	1023.8938	-0.2910	0.000997	-2.282E-05	9.7338E-07	-2.201E-08	2.8039E-03	1.693E-04
23.4	1023.8647	-0.2920	0.000994	-2.273E-05	9.7119E-07	-2.193E-08	2.8209E-03	1.702E-04
23.5	1023.8354	-0.2930	0.000992	-2.265E-05	9.6900E-07	-2.184E-08	2.8380E-03	1.711E-04
23.6	1023.8061	-0.2935	0.000990	-2.256E-05	9.6682E-07	-2.176E-08	2.8551E-03	1.720E-04
23.7	1023.7767	-0.2945	0.000988	-2.248E-05	9.6464E-07	-2.168E-08	2.8724E-03	1.729E-04
23.8	1023.7472	-0.2950	0.000985	-2.240E-05	9.6248E-07	-2.160E-08	2.8897E-03	1.739E-04
23.9	1023.7177	-0.2955	0.000983	-2.232E-05	9.6032E-07	-2.152E-08	2.9071E-03	1.748E-04
24.0	1023.6881	-0.2970	0.000981	-2.223E-05	9.5818E-07	-2.144E-08	2.9247E-03	1.757E-04
24.1	1023.6583	-0.2980	0.000979	-2.215E-05	9.5604E-07	-2.136E-08	2.9423E-03	1.766E-04
24.2	1023.6285	-0.2980	0.000976	-2.207E-05	9.5390E-07	-2.128E-08	2.9600E-03	1.775E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
24.3	1023.5987	-0.2990	0.000974	-2.199E-05	9.5178E-07	-2.120E-08	2.9778E-03	1.785E-04
24.4	1023.5687	-0.3000	0.000972	-2.191E-05	9.4966E-07	-2.113E-08	2.9957E-03	1.794E-04
24.5	1023.5387	-0.3005	0.000970	-2.183E-05	9.4755E-07	-2.105E-08	3.0137E-03	1.803E-04
24.6	1023.5086	-0.3015	0.000968	-2.175E-05	9.4545E-07	-2.097E-08	3.0317E-03	1.813E-04
24.7	1023.4784	-0.3025	0.000966	-2.167E-05	9.4336E-07	-2.089E-08	3.0499E-03	1.822E-04
24.8	1023.4481	-0.3030	0.000963	-2.159E-05	9.4128E-07	-2.082E-08	3.0682E-03	1.832E-04
24.9	1023.4178	-0.3040	0.000961	-2.151E-05	9.3920E-07	-2.074E-08	3.0866E-03	1.841E-04
25.0	1023.3873	-0.3050	0.000959	-2.143E-05	9.3713E-07	-2.066E-08	3.1050E-03	1.851E-04
25.1	1023.3568	-0.3050	0.000957	-2.136E-05	9.3506E-07	-2.059E-08	3.1236E-03	1.861E-04
25.2	1023.3263	-0.3060	0.000955	-2.128E-05	9.3301E-07	-2.051E-08	3.1422E-03	1.870E-04
25.3	1023.2956	-0.3070	0.000953	-2.120E-05	9.3096E-07	-2.044E-08	3.1610E-03	1.880E-04
25.4	1023.2649	-0.3080	0.000951	-2.112E-05	9.2892E-07	-2.036E-08	3.1798E-03	1.890E-04
25.5	1023.2340	-0.3085	0.000948	-2.105E-05	9.2689E-07	-2.029E-08	3.1988E-03	1.900E-04
25.6	1023.2032	-0.3090	0.000946	-2.097E-05	9.2486E-07	-2.022E-08	3.2178E-03	1.910E-04
25.7	1023.1722	-0.3105	0.000944	-2.090E-05	9.2284E-07	-2.014E-08	3.2370E-03	1.919E-04
25.8	1023.1411	-0.3110	0.000942	-2.082E-05	9.2083E-07	-2.007E-08	3.2562E-03	1.929E-04
25.9	1023.1100	-0.3115	0.000940	-2.075E-05	9.1883E-07	-2.000E-08	3.2756E-03	1.939E-04
26.0	1023.0788	-0.3125	0.000938	-2.067E-05	9.1683E-07	-1.993E-08	3.2950E-03	1.949E-04
26.1	1023.0475	-0.3130	0.000936	-2.060E-05	9.1485E-07	-1.985E-08	3.3146E-03	1.960E-04
26.2	1023.0162	-0.3135	0.000934	-2.053E-05	9.1286E-07	-1.978E-08	3.3342E-03	1.970E-04
26.3	1022.9848	-0.3145	0.000932	-2.045E-05	9.1089E-07	-1.971E-08	3.3539E-03	1.980E-04
26.4	1022.9533	-0.3155	0.000930	-2.038E-05	9.0892E-07	-1.964E-08	3.3738E-03	1.990E-04
26.5	1022.9217	-0.3165	0.000928	-2.031E-05	9.0696E-07	-1.957E-08	3.3937E-03	2.000E-04
26.6	1022.8900	-0.3170	0.000926	-2.023E-05	9.0501E-07	-1.950E-08	3.4138E-03	2.011E-04
26.7	1022.8583	-0.3175	0.000924	-2.016E-05	9.0306E-07	-1.943E-08	3.4340E-03	2.021E-04
26.8	1022.8265	-0.3185	0.000922	-2.009E-05	9.0112E-07	-1.936E-08	3.4542E-03	2.031E-04
26.9	1022.7946	-0.3195	0.000920	-2.002E-05	8.9919E-07	-1.929E-08	3.4746E-03	2.042E-04
27.0	1022.7626	-0.3200	0.000918	-1.995E-05	8.9726E-07	-1.922E-08	3.4950E-03	2.052E-04
27.1	1022.7306	-0.3205	0.000916	-1.988E-05	8.9534E-07	-1.916E-08	3.5156E-03	2.063E-04
27.2	1022.6985	-0.3215	0.000914	-1.981E-05	8.9343E-07	-1.909E-08	3.5363E-03	2.073E-04
27.3	1022.6663	-0.3225	0.000912	-1.974E-05	8.9152E-07	-1.902E-08	3.5571E-03	2.084E-04
27.4	1022.6340	-0.3230	0.000910	-1.967E-05	8.8963E-07	-1.895E-08	3.5780E-03	2.095E-04
27.5	1022.6017	-0.3235	0.000908	-1.960E-05	8.8773E-07	-1.889E-08	3.5990E-03	2.105E-04
27.6	1022.5693	-0.3245	0.000906	-1.953E-05	8.8585E-07	-1.882E-08	3.6201E-03	2.116E-04
27.7	1022.5368	-0.3255	0.000904	-1.946E-05	8.8397E-07	-1.875E-08	3.6413E-03	2.127E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
27.8	1022.5042	-0.3260	0.000902	-1.939E-05	8.8210E-07	-1.869E-08	3.6626E-03	2.138E-04
27.9	1022.4716	-0.3265	0.000900	-1.933E-05	8.8023E-07	-1.862E-08	3.6840E-03	2.148E-04
28.0	1022.4389	-0.3275	0.000898	-1.926E-05	8.7837E-07	-1.856E-08	3.7056E-03	2.159E-04
28.1	1022.4061	-0.3280	0.000896	-1.919E-05	8.7652E-07	-1.849E-08	3.7272E-03	2.170E-04
28.2	1022.3733	-0.3290	0.000894	-1.913E-05	8.7468E-07	-1.843E-08	3.7490E-03	2.181E-04
28.3	1022.3403	-0.3300	0.000892	-1.906E-05	8.7284E-07	-1.836E-08	3.7709E-03	2.192E-04
28.4	1022.3073	-0.3300	0.000890	-1.899E-05	8.7100E-07	-1.830E-08	3.7928E-03	2.204E-04
28.5	1022.2743	-0.3310	0.000889	-1.893E-05	8.6918E-07	-1.823E-08	3.8149E-03	2.215E-04
28.6	1022.2411	-0.3320	0.000887	-1.886E-05	8.6736E-07	-1.817E-08	3.8371E-03	2.226E-04
28.7	1022.2079	-0.3325	0.000885	-1.880E-05	8.6554E-07	-1.811E-08	3.8595E-03	2.237E-04
28.8	1022.1746	-0.3335	0.000883	-1.873E-05	8.6374E-07	-1.804E-08	3.8819E-03	2.249E-04
28.9	1022.1412	-0.3340	0.000881	-1.867E-05	8.6193E-07	-1.798E-08	3.9044E-03	2.260E-04
29.0	1022.1078	-0.3345	0.000879	-1.860E-05	8.6014E-07	-1.792E-08	3.9271E-03	2.271E-04
29.1	1022.0743	-0.3355	0.000877	-1.854E-05	8.5835E-07	-1.786E-08	3.9499E-03	2.283E-04
29.2	1022.0407	-0.3365	0.000875	-1.847E-05	8.5657E-07	-1.779E-08	3.9727E-03	2.294E-04
29.3	1022.0070	-0.3370	0.000874	-1.841E-05	8.5479E-07	-1.773E-08	3.9957E-03	2.306E-04
29.4	1021.9733	-0.3375	0.000872	-1.835E-05	8.5302E-07	-1.767E-08	4.0189E-03	2.317E-04
29.5	1021.9395	-0.3385	0.000870	-1.829E-05	8.5126E-07	-1.761E-08	4.0421E-03	2.329E-04
29.6	1021.9056	-0.3395	0.000868	-1.822E-05	8.4950E-07	-1.755E-08	4.0654E-03	2.341E-04
29.7	1021.8716	-0.3400	0.000866	-1.816E-05	8.4775E-07	-1.749E-08	4.0889E-03	2.352E-04
29.8	1021.8376	-0.3405	0.000864	-1.810E-05	8.4600E-07	-1.743E-08	4.1125E-03	2.364E-04
29.9	1021.8035	-0.3410	0.000863	-1.804E-05	8.4426E-07	-1.737E-08	4.1362E-03	2.376E-04
30.0	1021.7694	-0.3420	0.000861	-1.798E-05	8.4253E-07	-1.731E-08	4.1600E-03	2.388E-04
30.1	1021.7351	-0.3430	0.000859	-1.792E-05	8.4080E-07	-1.725E-08	4.1839E-03	2.400E-04
30.2	1021.7008	-0.3435	0.000857	-1.785E-05	8.3908E-07	-1.719E-08	4.2080E-03	2.412E-04
30.3	1021.6664	-0.3440	0.000856	-1.779E-05	8.3736E-07	-1.713E-08	4.2322E-03	2.424E-04
30.4	1021.6320	-0.3445	0.000854	-1.773E-05	8.3565E-07	-1.708E-08	4.2565E-03	2.436E-04
30.5	1021.5975	-0.3455	0.000852	-1.767E-05	8.3395E-07	-1.702E-08	4.2809E-03	2.448E-04
30.6	1021.5629	-0.3465	0.000850	-1.761E-05	8.3225E-07	-1.696E-08	4.3054E-03	2.460E-04
30.7	1021.5282	-0.3470	0.000848	-1.755E-05	8.3055E-07	-1.690E-08	4.3301E-03	2.473E-04
30.8	1021.4935	-0.3475	0.000847	-1.750E-05	8.2887E-07	-1.685E-08	4.3549E-03	2.485E-04
30.9	1021.4587	-0.3485	0.000845	-1.744E-05	8.2718E-07	-1.679E-08	4.3798E-03	2.497E-04
31.0	1021.4238	-0.3490	0.000843	-1.738E-05	8.2551E-07	-1.673E-08	4.4048E-03	2.510E-04
31.1	1021.3889	-0.3500	0.000841	-1.732E-05	8.2384E-07	-1.668E-08	4.4300E-03	2.522E-04
31.2	1021.3538	-0.3505	0.000840	-1.726E-05	8.2217E-07	-1.662E-08	4.4553E-03	2.535E-04

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
31.3	1021.3188	-0.3510	0.000838	-1.720E-05	8.2051E-07	-1.656E-08	4.4807E-03	2.547E-04
31.4	1021.2836	-0.3520	0.000836	-1.715E-05	8.1886E-07	-1.651E-08	4.5062E-03	2.560E-04
31.5	1021.2484	-0.3525	0.000835	-1.709E-05	8.1721E-07	-1.645E-08	4.5319E-03	2.572E-04
31.6	1021.2131	-0.3535	0.000833	-1.703E-05	8.1557E-07	-1.640E-08	4.5577E-03	2.585E-04
31.7	1021.1777	-0.3540	0.000831	-1.698E-05	8.1393E-07	-1.634E-08	4.5836E-03	2.598E-04
31.8	1021.1423	-0.3545	0.000829	-1.692E-05	8.1230E-07	-1.629E-08	4.6096E-03	2.611E-04
31.9	1021.1068	-0.3555	0.000828	-1.686E-05	8.1068E-07	-1.623E-08	4.6358E-03	2.624E-04
32.0	1021.0712	-0.3560	0.000826	-1.681E-05	8.0906E-07	-1.618E-08	4.6621E-03	2.636E-04
32.1	1021.0356	-0.3565	0.000824	-1.675E-05	8.0744E-07	-1.612E-08	4.6885E-03	2.649E-04
32.2	1020.9999	-0.3575	0.000823	-1.670E-05	8.0583E-07	-1.607E-08	4.7151E-03	2.662E-04
32.3	1020.9641	-0.3580	0.000821	-1.664E-05	8.0423E-07	-1.602E-08	4.7418E-03	2.676E-04
32.4	1020.9283	-0.3585	0.000819	-1.659E-05	8.0263E-07	-1.596E-08	4.7686E-03	2.689E-04
32.5	1020.8924	-0.3595	0.000818	-1.653E-05	8.0103E-07	-1.591E-08	4.7956E-03	2.702E-04
32.6	1020.8564	-0.3605	0.000816	-1.648E-05	7.9944E-07	-1.586E-08	4.8227E-03	2.715E-04
32.7	1020.8203	-0.3610	0.000814	-1.642E-05	7.9786E-07	-1.581E-08	4.8499E-03	2.728E-04
32.8	1020.7842	-0.3615	0.000813	-1.637E-05	7.9628E-07	-1.575E-08	4.8772E-03	2.742E-04
32.9	1020.7480	-0.3620	0.000811	-1.632E-05	7.9471E-07	-1.570E-08	4.9047E-03	2.755E-04
33.0	1020.7118	-0.3625	0.000810	-1.626E-05	7.9314E-07	-1.565E-08	4.9323E-03	2.769E-04
33.1	1020.6755	-0.3635	0.000808	-1.621E-05	7.9158E-07	-1.560E-08	4.9601E-03	2.782E-04
33.2	1020.6391	-0.3645	0.000806	-1.616E-05	7.9002E-07	-1.555E-08	4.9880E-03	2.796E-04
33.3	1020.6026	-0.3650	0.000805	-1.610E-05	7.8847E-07	-1.550E-08	5.0160E-03	2.809E-04
33.4	1020.5661	-0.3655	0.000803	-1.605E-05	7.8692E-07	-1.545E-08	5.0442E-03	2.823E-04
33.5	1020.5295	-0.3660	0.000802	-1.600E-05	7.8538E-07	-1.539E-08	5.0725E-03	2.837E-04
33.6	1020.4929	-0.3670	0.000800	-1.595E-05	7.8385E-07	-1.534E-08	5.1009E-03	2.851E-04
33.7	1020.4561	-0.3680	0.000798	-1.589E-05	7.8231E-07	-1.529E-08	5.1295E-03	2.864E-04
33.8	1020.4193	-0.3680	0.000797	-1.584E-05	7.8079E-07	-1.524E-08	5.1582E-03	2.878E-04
33.9	1020.3825	-0.3685	0.000795	-1.579E-05	7.7926E-07	-1.519E-08	5.1870E-03	2.892E-04
34.0	1020.3456	-0.3695	0.000794	-1.574E-05	7.7775E-07	-1.515E-08	5.2160E-03	2.906E-04
34.1	1020.3086	-0.3705	0.000792	-1.569E-05	7.7624E-07	-1.510E-08	5.2452E-03	2.920E-04
34.2	1020.2715	-0.3710	0.000790	-1.564E-05	7.7473E-07	-1.505E-08	5.2744E-03	2.934E-04
34.3	1020.2344	-0.3715	0.000789	-1.559E-05	7.7323E-07	-1.500E-08	5.3038E-03	2.949E-04
34.4	1020.1972	-0.3720	0.000787	-1.554E-05	7.7173E-07	-1.495E-08	5.3334E-03	2.963E-04
34.5	1020.1600	-0.3725	0.000786	-1.549E-05	7.7024E-07	-1.490E-08	5.3631E-03	2.977E-04
34.6	1020.1227	-0.3735	0.000784	-1.544E-05	7.6875E-07	-1.485E-08	5.3929E-03	2.991E-04
34.7	1020.0853	-0.3745	0.000783	-1.539E-05	7.6727E-07	-1.480E-08	5.4229E-03	3.006E-04

Fresh Water and Seawater Properties

 Effective Date
2024 Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
34.8	1020.0478	-0.3750	0.000781	-1.534E-05	7.6579E-07	-1.476E-08	5.4531E-03	3.020E-04
34.9	1020.0103	-0.3755	0.000780	-1.529E-05	7.6431E-07	-1.471E-08	5.4833E-03	3.035E-04
35.0	1019.9727	-0.3760	0.000778	-1.524E-05	7.6285E-07	-1.466E-08	5.5138E-03	3.049E-04
35.1	1019.9351	-0.3765	0.000777	-1.519E-05	7.6138E-07	-1.461E-08	5.5443E-03	3.064E-04
35.2	1019.8974	-0.3775	0.000775	-1.514E-05	7.5992E-07	-1.457E-08	5.5750E-03	3.079E-04
35.3	1019.8596	-0.3780	0.000774	-1.510E-05	7.5847E-07	-1.452E-08	5.6059E-03	3.094E-04
35.4	1019.8218	-0.3785	0.000772	-1.505E-05	7.5702E-07	-1.447E-08	5.6369E-03	3.108E-04
35.5	1019.7839	-0.3795	0.000771	-1.500E-05	7.5557E-07	-1.443E-08	5.6681E-03	3.123E-04
35.6	1019.7459	-0.3800	0.000769	-1.495E-05	7.5413E-07	-1.438E-08	5.6994E-03	3.138E-04
35.7	1019.7079	-0.3805	0.000768	-1.491E-05	7.5270E-07	-1.434E-08	5.7308E-03	3.153E-04
35.8	1019.6698	-0.3810	0.000766	-1.486E-05	7.5127E-07	-1.429E-08	5.7624E-03	3.168E-04
35.9	1019.6317	-0.3820	0.000765	-1.481E-05	7.4984E-07	-1.425E-08	5.7942E-03	3.183E-04
36.0	1019.5934	-0.3825	0.000763	-1.476E-05	7.4842E-07	-1.420E-08	5.8261E-03	3.199E-04
36.1	1019.5552	-0.3830	0.000762	-1.472E-05	7.4700E-07	-1.416E-08	5.8582E-03	3.214E-04
36.2	1019.5168	-0.3840	0.000760	-1.467E-05	7.4559E-07	-1.411E-08	5.8904E-03	3.229E-04
36.3	1019.4784	-0.3845	0.000759	-1.463E-05	7.4418E-07	-1.407E-08	5.9227E-03	3.244E-04
36.4	1019.4399	-0.3850	0.000757	-1.458E-05	7.4277E-07	-1.402E-08	5.9553E-03	3.260E-04
36.5	1019.4014	-0.3855	0.000756	-1.453E-05	7.4137E-07	-1.398E-08	5.9879E-03	3.275E-04
36.6	1019.3628	-0.3865	0.000754	-1.449E-05	7.3998E-07	-1.393E-08	6.0208E-03	3.291E-04
36.7	1019.3241	-0.3870	0.000753	-1.444E-05	7.3859E-07	-1.389E-08	6.0538E-03	3.306E-04
36.8	1019.2854	-0.3875	0.000751	-1.440E-05	7.3720E-07	-1.384E-08	6.0869E-03	3.322E-04
36.9	1019.2466	-0.3880	0.000750	-1.435E-05	7.3582E-07	-1.380E-08	6.1202E-03	3.338E-04
37.0	1019.2078	-0.3885	0.000749	-1.431E-05	7.3444E-07	-1.376E-08	6.1537E-03	3.354E-04
37.1	1019.1689	-0.3895	0.000747	-1.426E-05	7.3307E-07	-1.371E-08	6.1873E-03	3.369E-04
37.2	1019.1299	-0.3900	0.000746	-1.422E-05	7.3170E-07	-1.367E-08	6.2210E-03	3.385E-04
37.3	1019.0909	-0.3905	0.000744	-1.417E-05	7.3033E-07	-1.363E-08	6.2550E-03	3.401E-04
37.4	1019.0518	-0.3915	0.000743	-1.413E-05	7.2897E-07	-1.359E-08	6.2891E-03	3.417E-04
37.5	1019.0126	-0.3920	0.000741	-1.409E-05	7.2761E-07	-1.354E-08	6.3233E-03	3.433E-04
37.6	1018.9734	-0.3925	0.000740	-1.404E-05	7.2626E-07	-1.350E-08	6.3577E-03	3.450E-04
37.7	1018.9341	-0.3930	0.000739	-1.400E-05	7.2491E-07	-1.346E-08	6.3923E-03	3.466E-04
37.8	1018.8948	-0.3935	0.000737	-1.396E-05	7.2357E-07	-1.342E-08	6.4270E-03	3.482E-04
37.9	1018.8554	-0.3945	0.000736	-1.391E-05	7.2223E-07	-1.338E-08	6.4620E-03	3.498E-04
38.0	1018.8159	-0.3950	0.000734	-1.387E-05	7.2089E-07	-1.333E-08	6.4970E-03	3.515E-04
38.1	1018.7764	-0.3955	0.000733	-1.383E-05	7.1956E-07	-1.329E-08	6.5322E-03	3.531E-04
38.2	1018.7368	-0.3960	0.000732	-1.378E-05	7.1824E-07	-1.325E-08	6.5676E-03	3.548E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
38.3	1018.6972	-0.3965	0.000730	-1.374E-05	7.1691E-07	-1.321E-08	6.6032E-03	3.564E-04
38.4	1018.6575	-0.3975	0.000729	-1.370E-05	7.1559E-07	-1.317E-08	6.6389E-03	3.581E-04
38.5	1018.6177	-0.3980	0.000728	-1.366E-05	7.1428E-07	-1.313E-08	6.6748E-03	3.598E-04
38.6	1018.5779	-0.3985	0.000726	-1.362E-05	7.1297E-07	-1.309E-08	6.7109E-03	3.615E-04
38.7	1018.5380	-0.3990	0.000725	-1.357E-05	7.1166E-07	-1.305E-08	6.7471E-03	3.631E-04
38.8	1018.4981	-0.3995	0.000723	-1.353E-05	7.1036E-07	-1.301E-08	6.7835E-03	3.648E-04
38.9	1018.4581	-0.4005	0.000722	-1.349E-05	7.0906E-07	-1.297E-08	6.8201E-03	3.665E-04
39.0	1018.4180	-0.4010	0.000721	-1.345E-05	7.0776E-07	-1.293E-08	6.8568E-03	3.682E-04
39.1	1018.3779	-0.4015	0.000719	-1.341E-05	7.0647E-07	-1.289E-08	6.8937E-03	3.700E-04
39.2	1018.3377	-0.4020	0.000718	-1.337E-05	7.0519E-07	-1.285E-08	6.9308E-03	3.717E-04
39.3	1018.2975	-0.4025	0.000717	-1.333E-05	7.0390E-07	-1.281E-08	6.9681E-03	3.734E-04
39.4	1018.2572	-0.4035	0.000715	-1.329E-05	7.0262E-07	-1.277E-08	7.0055E-03	3.751E-04
39.5	1018.2168	-0.4040	0.000714	-1.325E-05	7.0135E-07	-1.273E-08	7.0431E-03	3.769E-04
39.6	1018.1764	-0.4040	0.000713	-1.321E-05	7.0008E-07	-1.269E-08	7.0809E-03	3.786E-04
39.7	1018.1360	-0.4050	0.000711	-1.317E-05	6.9881E-07	-1.265E-08	7.1188E-03	3.804E-04
39.8	1018.0954	-0.4060	0.000710	-1.313E-05	6.9755E-07	-1.262E-08	7.1569E-03	3.821E-04
39.9	1018.0548	-0.4060	0.000709	-1.309E-05	6.9629E-07	-1.258E-08	7.1952E-03	3.839E-04
40.0	1018.0142	-0.4065	0.000708	-1.305E-05	6.9503E-07	-1.254E-08	7.2337E-03	3.857E-04
40.1	1017.9735	-0.4075	0.000706	-1.301E-05	6.9378E-07	-1.250E-08	7.2724E-03	3.874E-04
40.2	1017.9327	-0.4080	0.000705	-1.297E-05	6.9253E-07	-1.246E-08	7.3112E-03	3.892E-04
40.3	1017.8919	-0.4085	0.000704	-1.293E-05	6.9129E-07	-1.243E-08	7.3502E-03	3.910E-04
40.4	1017.8510	-0.4090	0.000702	-1.289E-05	6.9005E-07	-1.239E-08	7.3894E-03	3.928E-04
40.5	1017.8101	-0.4095	0.000701	-1.285E-05	6.8881E-07	-1.235E-08	7.4288E-03	3.946E-04
40.6	1017.7691	-0.4100	0.000700	-1.281E-05	6.8758E-07	-1.231E-08	7.4683E-03	3.964E-04
40.7	1017.7281	-0.4105	0.000699	-1.278E-05	6.8635E-07	-1.228E-08	7.5081E-03	3.983E-04
40.8	1017.6870	-0.4115	0.000697	-1.274E-05	6.8512E-07	-1.224E-08	7.5480E-03	4.001E-04
40.9	1017.6458	-0.4120	0.000696	-1.270E-05	6.8390E-07	-1.220E-08	7.5881E-03	4.019E-04
41.0	1017.6046	-0.4125	0.000695	-1.266E-05	6.8268E-07	-1.217E-08	7.6284E-03	4.038E-04
41.1	1017.5633	-0.4130	0.000693	-1.262E-05	6.8147E-07	-1.213E-08	7.6688E-03	4.056E-04
41.2	1017.5220	-0.4135	0.000692	-1.259E-05	6.8026E-07	-1.209E-08	7.7095E-03	4.075E-04
41.3	1017.4806	-0.4140	0.000691	-1.255E-05	6.7905E-07	-1.206E-08	7.7503E-03	4.093E-04
41.4	1017.4392	-0.4145	0.000690	-1.251E-05	6.7784E-07	-1.202E-08	7.7914E-03	4.112E-04
41.5	1017.3977	-0.4155	0.000688	-1.247E-05	6.7664E-07	-1.198E-08	7.8326E-03	4.131E-04
41.6	1017.3561	-0.4160	0.000687	-1.244E-05	6.7545E-07	-1.195E-08	7.8740E-03	4.149E-04
41.7	1017.3145	-0.4160	0.000686	-1.240E-05	6.7425E-07	-1.191E-08	7.9156E-03	4.168E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
41.8	1017.2729	-0.4170	0.000685	-1.236E-05	6.7306E-07	-1.188E-08	7.9573E-03	4.187E-04
41.9	1017.2311	-0.4175	0.000683	-1.233E-05	6.7188E-07	-1.184E-08	7.9993E-03	4.206E-04
42.0	1017.1894	-0.4180	0.000682	-1.229E-05	6.7070E-07	-1.181E-08	8.0415E-03	4.225E-04
42.1	1017.1475	-0.4185	0.000681	-1.225E-05	6.6952E-07	-1.177E-08	8.0838E-03	4.245E-04
42.2	1017.1057	-0.4190	0.000680	-1.222E-05	6.6834E-07	-1.174E-08	8.1264E-03	4.264E-04
42.3	1017.0637	-0.4200	0.000679	-1.218E-05	6.6717E-07	-1.170E-08	8.1691E-03	4.283E-04
42.4	1017.0217	-0.4200	0.000677	-1.215E-05	6.6600E-07	-1.167E-08	8.2120E-03	4.303E-04
42.5	1016.9797	-0.4205	0.000676	-1.211E-05	6.6484E-07	-1.163E-08	8.2551E-03	4.322E-04
42.6	1016.9376	-0.4215	0.000675	-1.208E-05	6.6367E-07	-1.160E-08	8.2985E-03	4.342E-04
42.7	1016.8954	-0.4220	0.000674	-1.204E-05	6.6252E-07	-1.156E-08	8.3420E-03	4.361E-04
42.8	1016.8532	-0.4220	0.000673	-1.200E-05	6.6136E-07	-1.153E-08	8.3857E-03	4.381E-04
42.9	1016.8110	-0.4225	0.000671	-1.197E-05	6.6021E-07	-1.150E-08	8.4296E-03	4.401E-04
43.0	1016.7687	-0.4235	0.000670	-1.193E-05	6.5906E-07	-1.146E-08	8.4737E-03	4.420E-04
43.1	1016.7263	-0.4240	0.000669	-1.190E-05	6.5792E-07	-1.143E-08	8.5180E-03	4.440E-04
43.2	1016.6839	-0.4245	0.000668	-1.187E-05	6.5678E-07	-1.140E-08	8.5625E-03	4.460E-04
43.3	1016.6414	-0.4250	0.000667	-1.183E-05	6.5564E-07	-1.136E-08	8.6072E-03	4.480E-04
43.4	1016.5989	-0.4255	0.000665	-1.180E-05	6.5450E-07	-1.133E-08	8.6521E-03	4.501E-04
43.5	1016.5563	-0.4260	0.000664	-1.176E-05	6.5337E-07	-1.130E-08	8.6972E-03	4.521E-04
43.6	1016.5137	-0.4265	0.000663	-1.173E-05	6.5224E-07	-1.126E-08	8.7425E-03	4.541E-04
43.7	1016.4710	-0.4270	0.000662	-1.169E-05	6.5112E-07	-1.123E-08	8.7880E-03	4.561E-04
43.8	1016.4283	-0.4275	0.000661	-1.166E-05	6.5000E-07	-1.120E-08	8.8338E-03	4.582E-04
43.9	1016.3855	-0.4280	0.000660	-1.163E-05	6.4888E-07	-1.117E-08	8.8797E-03	4.602E-04
44.0	1016.3427	-0.4285	0.000658	-1.159E-05	6.4776E-07	-1.113E-08	8.9258E-03	4.623E-04
44.1	1016.2998	-0.4295	0.000657	-1.156E-05	6.4665E-07	-1.110E-08	8.9721E-03	4.644E-04
44.2	1016.2568	-0.4300	0.000656	-1.153E-05	6.4554E-07	-1.107E-08	9.0187E-03	4.664E-04
44.3	1016.2138	-0.4300	0.000655	-1.149E-05	6.4444E-07	-1.104E-08	9.0654E-03	4.685E-04
44.4	1016.1708	-0.4305	0.000654	-1.146E-05	6.4334E-07	-1.100E-08	9.1124E-03	4.706E-04
44.5	1016.1277	-0.4310	0.000653	-1.143E-05	6.4224E-07	-1.097E-08	9.1595E-03	4.727E-04
44.6	1016.0846	-0.4315	0.000651	-1.139E-05	6.4114E-07	-1.094E-08	9.2069E-03	4.748E-04
44.7	1016.0414	-0.4325	0.000650	-1.136E-05	6.4005E-07	-1.091E-08	9.2545E-03	4.769E-04
44.8	1015.9981	-0.4330	0.000649	-1.133E-05	6.3896E-07	-1.088E-08	9.3023E-03	4.790E-04
44.9	1015.9548	-0.4330	0.000648	-1.130E-05	6.3787E-07	-1.085E-08	9.3503E-03	4.812E-04
45.0	1015.9115	-0.4335	0.000647	-1.126E-05	6.3679E-07	-1.082E-08	9.3985E-03	4.833E-04
45.1	1015.8681	-0.4345	0.000646	-1.123E-05	6.3571E-07	-1.078E-08	9.4470E-03	4.854E-04
45.2	1015.8246	-0.4350	0.000645	-1.120E-05	6.3463E-07	-1.075E-08	9.4956E-03	4.876E-04

Fresh Water and Seawater Properties

Effective Date
2024

Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
45.3	1015.7811	-0.4350	0.000644	-1.117E-05	6.3356E-07	-1.072E-08	9.5445E-03	4.897E-04
45.4	1015.7376	-0.4355	0.000642	-1.114E-05	6.3249E-07	-1.069E-08	9.5936E-03	4.919E-04
45.5	1015.6940	-0.4360	0.000641	-1.110E-05	6.3142E-07	-1.066E-08	9.6429E-03	4.941E-04
45.6	1015.6504	-0.4365	0.000640	-1.107E-05	6.3036E-07	-1.063E-08	9.6924E-03	4.963E-04
45.7	1015.6067	-0.4375	0.000639	-1.104E-05	6.2930E-07	-1.060E-08	9.7421E-03	4.984E-04
45.8	1015.5629	-0.4380	0.000638	-1.101E-05	6.2824E-07	-1.057E-08	9.7921E-03	5.006E-04
45.9	1015.5191	-0.4380	0.000637	-1.098E-05	6.2718E-07	-1.054E-08	9.8422E-03	5.028E-04
46.0	1015.4753	-0.4385	0.000636	-1.095E-05	6.2613E-07	-1.051E-08	9.8926E-03	5.051E-04
46.1	1015.4314	-0.4390	0.000635	-1.092E-05	6.2508E-07	-1.048E-08	9.9433E-03	5.073E-04
46.2	1015.3875	-0.4395	0.000634	-1.089E-05	6.2403E-07	-1.045E-08	9.9941E-03	5.095E-04
46.3	1015.3435	-0.4400	0.000633	-1.085E-05	6.2299E-07	-1.042E-08	1.0045E-02	5.118E-04
46.4	1015.2995	-0.4405	0.000631	-1.082E-05	6.2195E-07	-1.039E-08	1.0096E-02	5.140E-04
46.5	1015.2554	-0.4415	0.000630	-1.079E-05	6.2091E-07	-1.036E-08	1.0148E-02	5.163E-04
46.6	1015.2112	-0.4415	0.000629	-1.076E-05	6.1988E-07	-1.033E-08	1.0200E-02	5.185E-04
46.7	1015.1671	-0.4415	0.000628	-1.073E-05	6.1885E-07	-1.030E-08	1.0252E-02	5.208E-04
46.8	1015.1229	-0.4425	0.000627	-1.070E-05	6.1782E-07	-1.027E-08	1.0304E-02	5.231E-04
46.9	1015.0786	-0.4430	0.000626	-1.067E-05	6.1679E-07	-1.025E-08	1.0356E-02	5.253E-04
47.0	1015.0343	-0.4435	0.000625	-1.064E-05	6.1577E-07	-1.022E-08	1.0409E-02	5.276E-04
47.1	1014.9899	-0.4440	0.000624	-1.061E-05	6.1475E-07	-1.019E-08	1.0462E-02	5.299E-04
47.2	1014.9455	-0.4445	0.000623	-1.058E-05	6.1373E-07	-1.016E-08	1.0515E-02	5.323E-04
47.3	1014.9010	-0.4450	0.000622	-1.055E-05	6.1272E-07	-1.013E-08	1.0568E-02	5.346E-04
47.4	1014.8565	-0.4450	0.000621	-1.052E-05	6.1170E-07	-1.010E-08	1.0622E-02	5.369E-04
47.5	1014.8120	-0.4455	0.000620	-1.050E-05	6.1069E-07	-1.007E-08	1.0676E-02	5.392E-04
47.6	1014.7674	-0.4460	0.000619	-1.047E-05	6.0969E-07	-1.005E-08	1.0730E-02	5.416E-04
47.7	1014.7228	-0.4465	0.000618	-1.044E-05	6.0869E-07	-1.002E-08	1.0784E-02	5.439E-04
47.8	1014.6781	-0.4470	0.000617	-1.041E-05	6.0769E-07	-9.990E-09	1.0838E-02	5.463E-04
47.9	1014.6334	-0.4475	0.000616	-1.038E-05	6.0669E-07	-9.962E-09	1.0893E-02	5.487E-04
48.0	1014.5886	-0.4480	0.000615	-1.035E-05	6.0569E-07	-9.934E-09	1.0948E-02	5.510E-04
48.1	1014.5438	-0.4485	0.000613	-1.032E-05	6.0470E-07	-9.906E-09	1.1003E-02	5.534E-04
48.2	1014.4989	-0.4490	0.000612	-1.029E-05	6.0371E-07	-9.879E-09	1.1059E-02	5.558E-04
48.3	1014.4540	-0.4495	0.000611	-1.026E-05	6.0273E-07	-9.851E-09	1.1115E-02	5.582E-04
48.4	1014.4090	-0.4500	0.000610	-1.024E-05	6.0174E-07	-9.824E-09	1.1171E-02	5.606E-04
48.5	1014.3640	-0.4500	0.000609	-1.021E-05	6.0076E-07	-9.797E-09	1.1227E-02	5.630E-04
48.6	1014.3190	-0.4505	0.000608	-1.018E-05	5.9978E-07	-9.770E-09	1.1283E-02	5.655E-04
48.7	1014.2739	-0.4510	0.000607	-1.015E-05	5.9881E-07	-9.743E-09	1.1340E-02	5.679E-04

Fresh Water and Seawater Properties

Effective Date
2024 Revision
03

Temp t (°C)	Density ρ (kg/m ³)	$\partial\rho/\partial t$ (kg/m ³ ·°C)	Viscos μ (Pa·s)	$\partial\mu/\partial t$ (Pa·s/°C)	$\nu = \mu/\rho$ (m ² /s)	$\partial\nu/\partial t$ (m ² /s·°C)	Pressure p_v (MPa)	$\partial p_v/\partial t$ (MPa/°C)
48.8	1014.2288	-0.4515	0.000606	-1.012E-05	5.9783E-07	-9.716E-09	1.1397E-02	5.704E-04
48.9	1014.1836	-0.4520	0.000605	-1.010E-05	5.9686E-07	-9.689E-09	1.1454E-02	5.728E-04
49.0	1014.1384	-0.4525	0.000604	-1.007E-05	5.9590E-07	-9.662E-09	1.1511E-02	5.753E-04
49.1	1014.0931	-0.4530	0.000603	-1.004E-05	5.9493E-07	-9.635E-09	1.1569E-02	5.777E-04
49.2	1014.0478	-0.4530	0.000602	-1.001E-05	5.9397E-07	-9.609E-09	1.1627E-02	5.802E-04
49.3	1014.0025	-0.4535	0.000601	-9.986E-06	5.9301E-07	-9.583E-09	1.1685E-02	5.827E-04
49.4	1013.9571	-0.4540	0.000600	-9.959E-06	5.9205E-07	-9.557E-09	1.1743E-02	5.852E-04
49.5	1013.9117	-0.4545	0.000599	-9.931E-06	5.9110E-07	-9.530E-09	1.1802E-02	5.877E-04
49.6	1013.8662	-0.4550	0.000598	-9.904E-06	5.9015E-07	-9.504E-09	1.1861E-02	5.902E-04
49.7	1013.8207	-0.4555	0.000597	-9.877E-06	5.8920E-07	-9.478E-09	1.1920E-02	5.928E-04
49.8	1013.7751	-0.4560	0.000596	-9.850E-06	5.8825E-07	-9.452E-09	1.1979E-02	5.953E-04
49.9	1013.7295	-0.4560	0.000595	-9.823E-06	5.8731E-07	-9.426E-09	1.2039E-02	5.978E-04
50.0	1013.6839		0.000594		5.8637E-07		1.2099E-02	